

16-14 Gauge .250 Female Push On Fully Insulated Terminal, Bag of 100

The Nylon insulation sleeve is molded onto the barrel. Transparent nylon allows for easy inspection of connection and is resistant to deformation. The insulation has a flared entry for easier wire insertion. Industry standard color-coding indicates wire range. Rated 600 volts maximum, building wire; 1000 volts maximum, signs and fixtures. Temperature rating: 105° C (221° F).

Read More

SKU: 894005
Price: \$15.67
Categories: Push On

Product Description



16-14 Gaug On, Insulate 100

This series is the mavailable. The PVC fastened to the but a flared entry for eastandard color-codi volts maximum, busigns and fixtures. F).

Read More

SKU: 49200

Price: \$15.95

Categories: Push On

Product Description



16-14 Gauge .250 Male Push On Fully Insulated Terminal, Bag of 100

The Nylon insulation sleeve is molded onto the barrel. Transparent nylon allows for easy inspection of connection and is resistant to deformation. The insulation has a flared entry for easier wire insertion. Industry standard color-coding indicates wire range. Rated 600 volts maximum, building wire; 1000 volts maximum, signs and fixtures. Temperature rating: 105° C (221° F).

Read More

SKU: 834005

Price: \$15.48

Categories: Push On



16-14 Gauge 1/4 Stud Ring, High Temp Terminal, Bag of 100

High temperature butt connectors are terminals that mate, connect, or terminate a single wire. High temperature butt connectors are ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. This series is ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. Constructed of steel plated nickel. Rated for continuous operating temperature of 482° C (900° F), intermittent rating of 649° C (1200° F).

Read More

SKU: 352145 **Price:** \$24.97

Categories: Ring

Product Description



16-14 Gauge 1/4 Stud Ring, Vinyl Insulated Terminal, Bag of 100

This series is the most economical insulated terminal available. The PVC insulation sleeve is securely fastened to the butted seam barrel. The insulation has a flared entry for easier wire insertion. Rated 600 volts maximum, building wire; 1000 volts maximum, signs and fixtures. Industry standard color-coding indicates wire range. Temperature rating: 105° C (22)

Read More

SKU: 452145 **Price:** \$14.92

Categories: Ring

Product Description



16-14 Gauge 3/8 Stud Ring, High Temp Terminal, Bag of 100

High temperature butt connectors are terminals that mate, connect, or terminate a single wire. High temperature butt connectors are ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. This series is ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. Constructed of steel plated nickel. Rated for continuous operating temperature of 482° C (900° F), intermittent rating of 649° C (1200° F).

Read More

SKU: 352385
Price: \$24.21
Categories: Ring

Product Description



16-14 Gaug Vinyl Insula 100

This series is the mavailable. The PVC fastened to the but a flared entry for eamaximum, building and fixtures. Indust wire range. Temper Read More

SKU: 452385DL

Price: \$19.98

Categories: Ring

Product Description



16-14 Gauge 5/16 Stud Ring, High Temp Terminal, Bag of 100

High temperature butt connectors are terminals that mate, connect, or terminate a single wire. High temperature butt connectors are ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. This series is ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. Constructed of steel plated nickel. Rated for continuous operating temperature of 482° C (900° F), intermittent rating of 649° C (1200° F).

Read More

SKU: 352565

Price: \$24.01

Categories: Ring



16-14 Gauge 5/16 Stud Ring, Vinyl Insulated Terminal, Bag of 100

This series is the most economical insulated terminal available. The PVC insulation sleeve is securely fastened to the butted seam barrel. The insulation has a flared entry for easier wire insertion. Rated 600 volts maximum, building wire; 1000 volts maximum, signs and fixtures. Industry standard color-coding indicates wire range. Temperature rating: 105° C (22)

Read More

SKU: 452565 **Price:** \$14.92 **Categories:** Ring

Product Description



16-14 Gaug Terminal, B

Vinyl-insulated butterminals that are used a single wire. The vinsulation and the letype of terminal base great for marine that utilize wire to the series is the most estandard to the butter a flared entry for estandard color-codi volts maximum, but signs and fixtures.

F).

Read More

SKU: 422005

Price: \$15.76

Categories: Butt

Product Description



16-14 Gauge Closed End Connector Terminal, Bag of 100

Closed End connectors are ideal for making a simple connection of two or more wires to make a pigtail connection. These closed end connectors feature translucent nylon insulation and a tin-plated copper sleeve that is rated to be used in up to 300V and is RoHS compliant. Translucent nylon insulation. Tin-plated copper sleeve. Meets UL 94V-2 Flammability Classification. Rated for continuous operating temperature of 105°C (221°F).

Read More

SKU: 901215

Price: \$9.92

Categories: Closed End



16-14 Gauge High Temp Butt Connector, Bag Of 100

High temperature butt connectors are terminals that mate, connect, or terminate a single wire. High temperature butt connectors are ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. This series is ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. Constructed of steel plated nickel. Rated for continuous operating temperature of 482° C (900° F), intermittent rating of 649° C (1200° F).

Read More

SKU: 322005

Price: \$36.42

Categories: Butt