



## 16-14 Gauge .187 Female Push On Fully Insulated Terminal, Bag Of 100

Vinyl-insulated push-on terminals are female and male blade type connectors that mate with each other to connect or disconnect a wired connection. The vinyl material is an economic insulation that seals the terminal and wire connection. Vinyl-insulated push-on terminals are commonly used in auto and marine vehicles, but can be used in various other electrical applications as well. This series is the most economical insulated terminal available. The PVC insulation sleeve is securely fastened to the butted seam barrel. The insulation has a flared entry for easier wire insertion. Industry standard color-coding indicates wire range. Rated 600 volts maximum, building wire; 1000 volts maximum, signs and fixtures. Temperature rating: 105° C (221° F).

[Read More](#)

**SKU:** 494185

**Price:** \$26.80

**Categories:** [Push On](#)

### Product Description

---

## 16-14 Gauge .187 Female Push On Terminal, Bag Of 100



Vinyl-insulated push-on terminals are female and male blade type connectors that mate with each other to connect or disconnect a wired connection. The vinyl material is an economic insulation that seals the terminal and wire connection. Vinyl-insulated push-on terminals are commonly used in auto and marine vehicles, but can be used in various other electrical applications as well. This series is the most economical insulated terminal available. The PVC insulation sleeve is securely fastened to the butted seam barrel. The insulation has a flared entry for easier wire insertion. Industry standard color-coding indicates wire range. Rated 600 volts maximum, building wire; 1000 volts maximum, signs and fixtures. Temperature rating: 105° C (221° F).

[Read More](#)

**SKU:** 492705

**Price:** \$15.92

**Categories:** [Push On](#)

### Product Description

---

## 16-14 Gauge .187 Male Push On Terminal, Bag Of 100



Vinyl-insulated push-on terminals are female and male blade type connectors that mate with each other to connect or disconnect a wired connection. The vinyl material is an economic insulation that seals the terminal and wire connection. Vinyl-insulated push-on terminals are commonly used in auto and marine vehicles, but can be used in various other electrical applications as well. This series is the most economical insulated terminal available. The PVC insulation sleeve is securely fastened to the butted seam barrel. The insulation has a flared entry for easier wire insertion. Industry standard color-coding indicates wire range. Rated 600 volts maximum, building wire; 1000 volts maximum, signs and fixtures. Temperature rating: 105° C (221° F).

[Read More](#)

**SKU:** 432705

**Price:** \$18.57

**Categories:** [Push On](#)

### Product Description

---



## 16-14 Gauge .250 Female Push On Fully Insulated Terminal, Bag of 100

The Nylon insulation sleeve is molded onto the barrel. Transparent nylon allows for easy inspection of connection and is resistant to deformation. The insulation has a flared entry for easier wire insertion. Industry standard color-coding indicates wire range. Rated 600 volts maximum, building wire; 1000 volts maximum, signs and fixtures. Temperature rating: 105° C (221° F).

[Read More](#)

**SKU:** 894005

**Price:** \$15.67

**Categories:** [Push On](#)

### Product Description

---



## 16-14 Gauge Push On, Insulated Terminal, Bag of 100

This series is the most available. The PVC insulation is fastened to the barrel with a flared entry for easier wire insertion. Industry standard color-coding indicates wire range. Rated 600 volts maximum, building wire; 1000 volts maximum, signs and fixtures. Temperature rating: 105° C (221° F).

[Read More](#)

**SKU:** 492005

**Price:** \$15.97

Categories: [Push On](#)

## Product Description

---



### 16-14 Gauge .250 Male Push On Fully Insulated Terminal, Bag of 100

The Nylon insulation sleeve is molded onto the barrel. Transparent nylon allows for easy inspection of connection and is resistant to deformation. The insulation has a flared entry for easier wire insertion. Industry standard color-coding indicates wire range. Rated 600 volts maximum, building wire; 1000 volts maximum, signs and fixtures. Temperature rating: 105° C (221° F).

[Read More](#)

**SKU:** 834005

**Price:** \$15.48

Categories: [Push On](#)

## Product Description

---



### 16-14 Gauge High Temperature Terminal

High temperature butt mate, connect, or temperature butt connect temperature applications where ideal for use in high motors, ovens or other can melt. Constructed for continuous operating

intermittent rating of 649° C (1200° F).

[Read More](#)

**SKU:** 352145

**Price:** \$24.97

**Categories:** [Ring](#)

## Product Description

---



## 16-14 Gauge 1/4 Stud Ring, Vinyl Insulated Terminal, Bag of 100

This series is the most economical insulated terminal available. The PVC insulation sleeve is securely fastened to the butted seam barrel. The insulation has a flared entry for easier wire insertion. Rated 600 volts maximum, building wire; 1000 volts maximum, signs and fixtures. Industry standard color-coding indicates wire range. Temperature rating: 105° C (22

[Read More](#)

**SKU:** 452145

**Price:** \$14.92

**Categories:** [Ring](#)

## Product Description

---



## 16-14 Gauge 3/8 Stud Ring, High Temp Terminal, Bag of 100

High temperature butt connectors are terminals that mate, connect, or terminate a single wire. High temperature butt connectors are ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. This series is ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. Constructed of steel plated nickel. Rated for continuous operating temperature of 482° C (900° F), intermittent rating of 649° C (1200° F).

[Read More](#)

**SKU:** 352385

**Price:** \$24.21

**Categories:** [Ring](#)

### Product Description

---



## 16-14 Gauge 3/8 Stud Ring, Vinyl Insulated Terminal, Bag of 100

This series is the most economical insulated terminal available. The PVC insulation sleeve is securely fastened to the butted seam barrel. The insulation has a flared entry for easier wire insertion. Rated 600 volts maximum, building wire; 1000 volts maximum, signs and fixtures. Industry standard color-coding indicates wire range. Temperature rating: 105° C (22

[Read More](#)

**SKU:** 452385DL

**Price:** \$19.98

**Categories:** [Ring](#)

## Product Description

---



### 16-14 Gauge 5/16 Stud Ring, High Temp Terminal, Bag of 100

High temperature butt connectors are terminals that mate, connect, or terminate a single wire. High temperature butt connectors are ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. This series is ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. Constructed of steel plated nickel. Rated for continuous operating temperature of 482° C (900° F), intermittent rating of 649° C (1200° F).

[Read More](#)

**SKU:** 352565

**Price:** \$24.01

**Categories:** [Ring](#)

## Product Description

---



### 16-14 Gauge Vinyl Insula 100

This series is the most available. The PVC is fastened to the butt with a flared entry for easy maximum, building and fixtures. Industrial wire range. Temper

[Read More](#)



**SKU:** 452565

**Price:** \$14.92

**Categories:** [Ring](#)

## Product Description

---