16-14 Gauge .187 Female Push On Fully Insulated Terminal, Bag Of 100

Vinyl-insulated push-on terminals are female and male blade type connectors that mate with each other to connect or disconnect a wired connection. The vinyl material is an economic insulation that seals the terminal and wire connection. Vinyl-insulated push-on terminals are commonly used in auto and marine vehicles, but can be used in various other electrical applications as well. This series is the most economical insulated terminal available. The PVC insulation sleeve is securely fastened to the butted seam barrel. The insulation has a flared entry for easier wire insertion. Industry standard color-coding indicates wire range. Rated 600 volts maximum, building wire; 1000 volts maximum, signs and fixtures. Temperature rating: 105° C (221° F).

Read More

SKU:	494185
Price:	$26.80
Categories:	Push On

Product Description

16-14 Gauge .187 Female Push On Terminal, Bag Of 100

Vinyl-insulated push-on terminals are female and male blade type connectors that mate with each other to connect or disconnect a wired connection. The vinyl material is an economic insulation that seals the terminal and wire connection. Vinyl-insulated push-on terminals are commonly used in auto and marine vehicles, but can be used in various other electrical applications as well. This series is the most economical insulated terminal available. The PVC insulation sleeve is securely fastened to the butted seam barrel. The insulation has a flared entry for easier wire insertion. Industry standard color-coding indicates wire range. Rated 600 volts maximum, building wire; 1000 volts maximum, signs and fixtures. Temperature rating: 105° C (221° F).

Read More

SKU:	492705
Price:	$15.92
Categories:	Push On

Product Description

16-14 Gauge .187 Male Push On Terminal, Bag Of 100

Vinyl-insulated push-on terminals are female and male blade type connectors that mate with each other to connect or disconnect a wired connection. The vinyl material is an economic insulation that seals the terminal and wire connection. Vinyl-insulated push-on terminals are commonly used in auto and marine vehicles, but can be used in various other electrical applications as well. This series is the most economical insulated terminal available. The PVC insulation sleeve is securely fastened to the butted seam barrel. The insulation has a flared entry for easier wire insertion. Industry standard color-coding indicates wire range. Rated 600 volts maximum, building wire; 1000 volts maximum, signs and fixtures. Temperature rating: 105° C (221° F).

Read More

SKU:	432705
Price:	$18.57
Categories:	Push On

Product Description

16-14 Gauge .250 Female Push On Fully Insulated Terminal, Bag of 100

The Nylon insulation sleeve is molded onto the barrel. Transparent nylon allows for easy inspection of connection and is resistant to deformation. The insulation has a flared entry for easier wire insertion. Industry standard color-coding indicates wire range. Rated 600 volts maximum, building wire; 1000 volts maximum, signs and fixtures. Temperature rating: 105° C (221° F).

Read More

SKU:	894005
Price:	$15.67
Categories:	Push On

Product Description

16-14 Gaug
On, Insulate
100

This series is the m
available. The PVC
fastened to the but
a flared entry for ea
standard color-codi
volts maximum, bu
signs and fixtures. T
F).

Read More

SKU:	4920(
Price:	$15.9

Categories: Push On

Product Description

16-14 Gauge .250 Male Push On Fully Insulated Terminal, Bag of 100

The Nylon insulation sleeve is molded onto the barrel. Transparent nylon allows for easy inspection of connection and is resistant to deformation. The insulation has a flared entry for easier wire insertion. Industry standard color-coding indicates wire range. Rated 600 volts maximum, building wire; 1000 volts maximum, signs and fixtures. Temperature rating: 105° C (221° F).

Read More

SKU:	834005
Price:	$15.48
Categories:	Push On

Product Description

16-14 Gaug
Temp Termi

High temperature b
mate, connect, or t
temperature butt c
temperature applic
applications where
ideal for use in high
motors, ovens or ot
can melt. Construct
continuous operatin

intermittent rating of 649° C (1200° F).

Read More

SKU: 352145

Price: $24.97

Categories: Ring

Product Description

16-14 Gauge 1/4 Stud Ring, Vinyl Insulated Terminal, Bag of 100

This series is the most economical insulated terminal available. The PVC insulation sleeve is securely fastened to the butted seam barrel. The insulation has a flared entry for easier wire insertion. Rated 600 volts maximum, building wire; 1000 volts maximum, signs and fixtures. Industry standard color-coding indicates wire range. Temperature rating: 105° C (22

Read More

SKU: 452145

Price: $14.92

Categories: Ring

Product Description

16-14 Gauge 3/8 Stud Ring, High Temp Terminal, Bag of 100

High temperature butt connectors are terminals that mate, connect, or terminate a single wire. High temperature butt connectors are ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. This series is ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. Constructed of steel plated nickel. Rated for continuous operating temperature of 482° C (900° F), intermittent rating of 649° C (1200° F).

Read More

SKU: 352385

Price: $24.21

Categories: Ring

Product Description

16-14 Gauge 3/8 Stud Ring, Vinyl Insulated Terminal, Bag of 100

This series is the most economical insulated terminal available. The PVC insulation sleeve is securely fastened to the butted seam barrel. The insulation has a flared entry for easier wire insertion. Rated 600 volts maximum, building wire; 1000 volts maximum, signs and fixtures. Industry standard color-coding indicates wire range. Temperature rating: 105° C (22

Read More

SKU: 452385DL

Price: $19.98

Categories: Ring

Product Description

16-14 Gauge 5/16 Stud Ring, High Temp Terminal, Bag of 100

High temperature butt connectors are terminals that mate, connect, or terminate a single wire. High temperature butt connectors are ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. This series is ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. Constructed of steel plated nickel. Rated for continuous operating temperature of 482° C (900° F), intermittent rating of 649° C (1200° F).
Read More

SKU:	352565
Price:	$24.01
Categories:	Ring

Product Description

16-14 Gaug Vinyl Insula 100

This series is the m available. The PVC fastened to the but a flared entry for ea maximum, building and fixtures. Indust wire range. Temper
Read More

SKU: 452565

Price: $14.92

Categories: Ring

Product Description