



Temperature Gun, Non-contact Digital Laser Infrared IR Thermometer With Case. Cannot Be Used For Liquids.

Cannot Be Used For Liquids. Red laser pointer for precise aiming; auto power shut off; distance spot ratio 16:1 Engineered to high precision standards. Accurate readings from -58 to 1382 DegreeF (-50 to 750 DegreeC); temp readings for current and max temperature. Instant-Read with less than 1 second response time; auto shutoff at 15 seconds when idle; Celsius and Fahrenheit switchable. Standard 9v battery(include); padded, protective carrying case with belt loop(include); low battery indicator. Ability to measure hazardous, inaccessible and moving objects, U.S. FDA, FCC, CE, ROHS approved

[Read More](#)

SKU: 800047

Price: \$56.81

Categories: [Thermometers](#)

Product Description



Terminal Kit 300 Pieces 600 Volt Rated

22-18, 16-14, 12-10 Gauge Terminals. Butt Splicers, Ring, Spade .250 Push On Quick Connects Female And Male

[Read More](#)

SKU: 822186

Price: \$21.05

Categories: [Kits](#)

Product Description

Test Leads With Alligator Clips, Rated 1000 Volts

Test lead set connects a compatible electrical test meter to a device for testing. Set includes two lead wires, two threaded test probe tips, and two alligator clips. Polyvinyl chloride (PVC) insulation helps protect hands from shock and heat 2.67" threaded alligator clips have 0.30" jaw opening and teeth that grip the conductor to provide a more secure, hands-free connection than probe tips Meets International Electrotechnical Commission (IEC) safety standard 61010 and is certified for category III installations up to 1,000V

[Read More](#)

SKU: TL-100

Price: \$36.64

Categories: [Hand](#)

Product Description



Thermostat Grommet, Replacement For Bunn #07073.0001

Fits Models IC3, LCA-2, LCA-2 PC, LCA-2A, LCC-2, LCR-2, LCR-2 PC, LCR-2A, LCR-2A PC, SINGLE, SRU, SRUA, U3, U3A

[Read More](#)

SKU: 07073.0001

Price: \$1.00

Categories: [Bunn](#)

Product Description

Grommet, Exact Replacement



Three Way Fpt Ball Valve, Lead Free 1/2 x 1/2 x 1/2

[Read More](#)

SKU: VAL062

Price: \$27.42

Categories: [Valves](#)

Product Description



Three Way Fpt Ball Valve, Lead Free 3/8 x 3/8 x 3/8

[Read More](#)

SKU: VAL061

Price: \$15.41

Categories: [Valves](#)

Product Description

Titanium Step Drill Bit, 1/8 To 1/2 Inch

Titanium High Speed Steel: classic high speed steel with titanium coating for proven capability and durability in drilling holes in plastic, aluminum, copper, stainless steel and many other types of sheet metal. 135° SPLIT POINT TIP: increases cutting speed with self-centering and prevents walking. TWO-FLUTE DESIGN: clears chips faster and allows particles to escape easily. 1/8", 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 13/32", 7/16", 15/32", 1/2"

[Read More](#)

SKU: MB52501TN

Price: \$22.68

Categories: [Hand](#)

Product Description



Toggle Switch, Spst, 15A 125/250V, Replacement For Wilbur Curtis, WC-102, 3375000052

Fits Models ALP1GT, ALP2GT, ALP2GTW, ALP3GT, ALP3GTL, ALP3GTR, ALP4GT, ALP5GT, ALP5GTL, ALP5GTR, ALP6GT, ALP6GTN, ALPHA-3GT, CAFE PC1, CAFE PC2, CAFE PC3, CAFE PC4, CAFEOAT3, CBHVS, CBHVS200, CBP, CBS, CLC, CLCA, D1000GT, D500GT, D60GT, EXPR, G4GEMT, G4GEMTIF, G4TP2T, GEM SS, GEM TN, GEM TS, GEM-120A, GEM-12D, GEM-600ILD, GEM-612ILD, GEMSIF, GEMTIF, HC-1D, PC-1D, PC-2D, PC-3D, PC-3GT, PC-4D, PC-4GT, PC-5GT, PCGT3, PCGT4, PCGT5, PTT3, PTTD-3, TCTD-35, TCTD-35S, TCTS/T, TCTS10000, TL-9001, TL-9002, TLP, TLP10, TLP20, TP2S, TP2T, TPC15T, TPC2S, TPC2T, TPS1S, TPS1T, WB5GT

[Read More](#)

SKU: WC-102

Price: \$10.03

Categories: [Wilbur Curtis](#)

Product Description

Toggle Switch



Tomlinson HFS-3F Series Complete Faucet 1008781

White Body with Red Handle Sunbeam Replacement Water Cooler Tomlinson Faucet Handle, white polypropylene body with internal 3/8"-18 NPS threads and 05" (1 mm) recess for washer in the back of the flange.

[Read More](#)

SKU: 1008781

Price: \$3.75

Categories: [Tomlinson](#)

Product Description



Total Dissolved Solids Water Meter, 0-9990 Ppm

Meter With Belt Clip Case And Temperature 32°F-176°F, Auto Shut Off. Highly Efficient and Accurate Due to Its Advanced Microprocessor Technology. For Checking Hardness Of Water On Ro Units And Equipment To Determine What Type Of Filter Is Required.

[Read More](#)

SKU: TDSH1

Price: \$19.42

Categories: [Test](#)

Product Description



Tube Assy,(Hose)21.5 Inches Sol/Fill, Replacement For Bunn #12914.0002

Fits Models Bunn, C, CRT5, CRTF5, CT, CTF, CWA, CWAPS, CWAPS-MV, CWT, CWT TWIN, CWT-APS, CWT-CS, CWT35-3T, CWTA, CWTF, CWTF TWIN, CWTF-15TS, CWTF-35, CWTF-APS, CWTF-CS, CWTF-MV, CWTF-TC, CWTF-TWIN, CWTF15-APS, CWTFA, CWTS, CWTS-MV, CWTSR, CWTSR-MV, SINGLE CW, SINGLE CWTF, TWIN-APS, TWIN-TC

[Read More](#)

SKU: 12914.0002

Price: \$11.93

Categories: [Bunn](#)

Product Description

Tube Assy,(Hose)21.5"Sol/Fill

Tube Guide Star #2P-Z2



Fits Models 20, 20C, 20SCR, 30, 30BB, 30CBBE, 30CBD, 30CHDE, 30CR, 30CSBB, 30SBBC, 30SCBBE, 30SCBD, 30SCEX, 30SCF, 30SCRBB, 30SE, 3045BD, 45C, 45CBB, 45CF, 45CHD, 45CHSA, 45SABB, 45SCBBE, 45SCBD, 45SCFT, 45SCHD, 4

45SCRBB, 45SCRE, 50, 50BB, 50BBE, 50BBES, 50BD, 50C, 50CBB, 50CBBC, 50CBBE, 50CBBES, 50CBD, 50CBDE, 50CDV, 50CE, 50CF, 50CHD, 50CHDE, 50CR, 50CRBB, 50CSA, 50DV, 50E, 50F, 50HD, 50S, 50SBB, 50SBBC, 50SBBE, 50SC, 50SC-ST, 50SC-STS, 50SCBB, 50SCBBC, 50SCBBE, 50SCBD, 50SCBDE, 50SCBDE-CSA, 50SCBDESW, 50SCDV, 50SCE, 50SCE-ST, 50SCEQT, 50SCEX, 50SCF, 50SCHD, 50SCHDE, 50SCHDEP, 50SCHDM, 50SCR, 50SCRBB, 50SE, 50SF, 54IC, 54ICE, 54ISC, 54ISCE, 75A, 75ABB, 75ABBE, 75ABBES, 75ADV, 75AE, 75AF, 75AFV, 75BD, 75C, 75CBB, 75CBBE, 75CBBES, 75CBD, 75CBDE, 75CDV, 75CE, 75CF, 75CFV, 75CHD, 75CHDE, 75CR, 75CRBB, 75FF, 75HD, 75SA, 75SABB, 75SABBE, 75SAE, 75SAF, 75SAFE, 75SARE, 75SC, 75SCBB, 75SCBBE, 75SCBD, 75SCBDE, 75SCDV, 75SCE, 75SCESW, 75SCF, 75SCF-SA, 75SCFE, 75SCFE-SA, 75SCFET, 75SCFT, 75SCHD, 75SCHDE, 75SCHDEM, 75SCHDEP, 75SCHDM, 75SCR, 75SCRBB, 75SCRE, 75SCRHB7, 75SZRHB7, 90IC, 90ICE, 90ISC, 90ISCE, Star

[Read More](#)

SKU: 2P-Z2174

Price: \$3.55

Categories: [Star](#)

Product Description

Tube Guide
