

16-14 Gauge High Temp Spade Terminal, 10 Stud, Bag Of 100

High temperature butt connectors are terminals that mate, connect, or terminate a single wire. High temperature butt connectors are ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. This series is ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. Constructed of steel plated nickel. Rated for continuous operating temperature of 482° C (900° F), intermittent rating of 649° C (1200° F).

Read More

SKU:	362105
Price:	$19.68
Categories:	Spade

Product Description



16-14 Gaug Female Flag Bag Of 100

High temperature b mate, connect, or t temperature butt c temperature applic applications where ideal for use in high motors, ovens or ot can melt. Construct continuous operatin intermittent rating

Read More

SKU: 392105

Price: $29.42

Categories: Push On

Product Description



16-14 Gauge High Temp, .250 Female Push-On Terminal, Bag Of 100

High temperature butt connectors are terminals that mate, connect, or terminate a single wire. High temperature butt connectors are ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. This series is ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. Constructed of steel plated nickel. Rated for continuous operating temperature of 482° C (900° F), intermittent rating of 649° C (1200° F).

Read More

SKU: 392005

Price: $28.41

Categories: Push On

Product Description



16-14 Gauge High Temp, .250 Male Push-On Terminal, Bag Of 100

High temperature butt connectors are terminals that mate, connect, or terminate a single wire. High temperature butt connectors are ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. This series is ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. Constructed of steel plated nickel. Rated for continuous operating temperature of 482° C (900° F), intermittent rating of 649° C (1200° F).

Read More

SKU: 332005

Price: $34.83

Categories: Push On

Product Description



16-14 Gaug Female Pus Of 100

Push-on, piggy bacl connectors that ma and have an additic primary and seconc Push-on, piggy bacl marine applications electrical applicatio terminal available. fastened to butted entry for easier wir

coding indicates wire range. Rated to 600 volts maximum, building wire; 1000 volts maximum, 105° C.
Read More

SKU: 400675

Price: $19.11

Categories: Piggy Back

Product Description



16.2 Oetiker Style Stepless Clamp, 100 A Bag

13.7-16.2 mm or 35/64-41/64
Read More

SKU: 16.2-100

Price: $19.20

Categories: Oetiker Style Bag Of 100

Product Description



16.2 Oetiker Style Stepless Clamp, 25 A Bag

13.7-16.2 mm or 35/64-41/64
Read More

SKU: 16.2-25

Price: $6.75

Categories: Oetiker Style Bag Of 25

Product Description



17.0 Oetiker Style Stepless Clamp, 100 A Bag

14.5-17.0 mm or 37/64-43/64 Fits BB610 And 512-072 Tubing

Read More

SKU: 17.0-100

Price: $19.20

Categories: Oetiker Style Bag Of 100

Product Description



17.0 Oetiker Style Stepless Clamp, 25 A Bag

14.5-17.0 mm or 37/64-43/64 Fits BB610 And 512-072 Tubing

Read More

SKU: 17.0-25

Price: $6.75

Categories: Oetiker Style Bag Of 25

Product Description



18 Gauge Black Rvi Wire 100 Foot Roll

Non Stock, Item Must Be Ordered. 18 gauge RVI hook-up wire is ideal for machine tools, control cabinets, automotive and marine applications. The thermoplastic insulation is moisture resistant and provides extra protection against nicks and cuts. UL style 1015/1230, 105°C, rated for 600 volts. Manufactured to meet or exceed the specifications of the RVI, NFDA, ANSI and J1128. CSA file no. 22035, UL file no. E51293. Specifications printed on wire. Use in internal wiring where exposure to temperatures does not exceed 221°F or where exposure to oil at temperatures not exceeding 140°F. CSA type TEW FT1.

Read More

SKU:	29181-05
Price:	$23.63
Categories:	18 Gauge

Product Description



18 Gauge B Foot Roll

Non Stock, Item Mu up wire is ideal for automotive and ma insulation is moistu protection against 105°C, rated for 60 exceed the specific J1128. CSA file no. Specifications print where exposure to 221°F or where exp

exceeding 140°F. CSA type TEW FT1.
Read More

SKU: 29181-03
Price: $23.63
Categories: 18 Gauge

Product Description



18 Gauge Brown Rvi Wire 100 Foot Roll

Non Stock, Item Must Be Ordered. 18 gauge RVI hook-up wire is ideal for machine tools, control cabinets, automotive and marine applications. The thermoplastic insulation is moisture resistant and provides extra protection against nicks and cuts. UL style 1015/1230, 105°C, rated for 600 volts. Manufactured to meet or exceed the specifications of the RVI, NFDA, ANSI and J1128. CSA file no. 22035, UL file no. E51293. Specifications printed on wire. Use in internal wiring where exposure to temperatures does not exceed 221°F or where exposure to oil at temperatures not exceeding 140°F. CSA type TEW FT1.
Read More

SKU: 29181-07
Price: $23.63
Categories: 18 Gauge

Product Description