

White Polyethylene Tubing 3/8 x 500 Ft

John Guest Mfg, Polyethylene Tubing 230 Psi @ 70°F, Max 120 Psi @ 150°F.

Read More

SKU: PE-12-EI-0500F-W

Price: \$119.28

Categories: Poly

Product Description



Product Description

Wire Auger With O-Ring

Wire Auger With O-Ring, Replacement For Cecilware #CD101L

Fits Models GB1M-IT, GB2M5.5-IT, GB3M-10-IT, GB3M-5.5-IT, GB4M-IT, GB5M-IT

Read More

SKU: CD101L

Price: \$24.02

Categories: Cecilware



Wire Nut Kit 158 Pieces

40-Grey, 40-Blue, 50-Orange, 18-Yellow, and 10-Red Connectors

Read More

SKU: ABN158

Price: \$16.42

Categories: Wire Nuts

Product Description



Wire Nuts 18-10 Red, Box Of 100

UL Listed For Pressure Type Wire Connector, For Solid and /Or Stranded Wire Temperature Rating 105°C (221°F), 300V Or 600V Maximum Building Wire

Read More

SKU: EWN66

Price: \$9.48

Categories: Wire Nuts



Product Description

Wire Nuts 20-14 Yellow, Box Of 100

UL Listed For Pressure Type Wire Connector, For Solid and /Or Stranded Wire Temperature Rating 105°C (221°F), 300V Or 1000V Maximum Building Wire.

Minimum AWG 3 #20 - maximum AWG 1 #20 W/2 #14 W/1 #16

Read More

Price:

SKU: EWN44

Categories: Wire Nuts

\$9.21

Wire Nuts 20-16 Orange, Box Of 100

UL Listed For Pressure Type Wire Connector, For Solid and /Or Stranded Wire Temperature Rating 105°C (221°F), 300V Or 1000V Maximum Building Wire.

Minimum AWG 1#18 w/1#20 - maximum AWG 4 #16 w/1 #20

Read More

SKU: EWN33 **Price:** \$8.42

Categories: Wire Nuts





Wire Nuts 22-16 Blue, Box Of 100

The industry standard twist-on connector with top quality, performance and durability. Color-coded for easy size selection. Tight, square-wire spring makes quick, secure connections for positive continuity. Tough, thermoplastic shell shields against environmental extremes. Resists chemical action from hydrocarbons, diluted acid or alkaline solutions. Flame-retardant properties resist heat distortion up to 105 °C (221 °F). High-dielectric shell features deep skirt design to prevent exposure of bare wire. Copper-to-copper connections only Connection rated at 600 V Max. for building wiring and rated at 1,000 V Max. in lighting fixtures/luminaries and signs

Read More

SKU: EWN22 **Price:** \$8.42

Categories: Wire Nuts

Product Description



Wire Nuts 2 100

Fan Wire Nut, The i connector with top Color-coded for eas spring makes quick continuity. Tough, t environmental extrhydrocarbons, dilut retardant propertie (221 °F). High-diele design to prevent e

copper connections only. Connection rated at 600 V Max. for building wiring and rated at 1,000 V Max. in lighting fixtures/luminaries and signs

Read More

SKU: EWN11 **Price:** \$8.26

Categories: Wire Nuts

Product Description



Wunder Bar Juice Gun 6 Button, 36 Inches With 3/8 Fitting

Wunder-Bar set the gold standard for soft drink dispensing with the world's first 14 product carbonated and non-carbonated hydraulic post mix bar dispenser. This versatile bargun can be configured for most combinations of carbonated and non-carbonated and even non-carbonated premixed products. Choose from a variety of post mix type dispensers from 1 to 14 different products.

Read More

SKU: M46JDKS3

Price: \$387.94

Categories: Bar Guns



Wunder Bar Juice Gun 6 Button, 48 Inches With 3/8 Fitting

Wunder-Bar set the gold standard for soft drink dispensing with the world's first 14 product carbonated and non-carbonated hydraulic post mix bar dispenser. This versatile bargun can be configured for most combinations of carbonated and non-carbonated and even non-carbonated premixed products. Choose from a variety of post mix type dispensers from 1 to 14 different products.

Read More

SKU: M46JDKS4

Price: \$406.64

Categories: Bar Guns

Product Description



Product Description

Wunder Bar Juice Gun 8 Button, 36 Inches With 3/8 Fitting

MARK 4 BAR GUN 8 BUTTON JUICE THICKENED WATER WITH 3/8" FITTING 36" HOSE

Read More

SKU: M48080K2M3TW-3/8

Price: \$438.30

Categories: Bar Guns



Wunderbar Pump Inlet Fitting, 1/4 Barb

Overall Length 1 1/8"

Read More

SKU: 3038

Price: \$1.80

Categories: Parts