



Wire Nuts 18-10 Red, Box Of 100

UL Listed For Pressure Type Wire Connector, For Solid and /Or Stranded Wire Temperature Rating 105°C (221°F), 300V Or 600V Maximum Building Wire

[Read More](#)

SKU: EWN66

Price: \$9.48

Categories: [Wire Nuts](#)

Product Description



Wire Nuts 20-14 Yellow, Box Of 100

UL Listed For Pressure Type Wire Connector, For Solid and /Or Stranded Wire Temperature Rating 105°C (221°F), 300V Or 1000V Maximum Building Wire. Minimum AWG 3 #20 - maximum AWG 1 #20 W/2 #14 W/1 #16

[Read More](#)

SKU: EWN44

Price: \$9.21

Categories: [Wire Nuts](#)

Product Description



Wire Nuts 20-16 Orange, Box Of 100

UL Listed For Pressure Type Wire Connector, For Solid and /Or Stranded Wire Temperature Rating 105°C (221°F), 300V Or 1000V Maximum Building Wire. Minimum AWG 1#18 w/1#20 - maximum AWG 4 #16 w/1 #20

[Read More](#)

SKU: EWN33

Price: \$8.42

Categories: [Wire Nuts](#)

Product Description



Wire Nuts 22-16 Blue, Box Of 100

The industry standard twist-on connector with top quality, performance and durability. Color-coded for easy size selection. Tight, square-wire spring makes quick, secure connections for positive continuity. Tough, thermoplastic shell shields against environmental extremes. Resists chemical action from hydrocarbons, diluted acid or alkaline solutions. Flame-retardant properties resist heat distortion up to 105 °C (221 °F). High-dielectric shell features deep skirt design to prevent exposure of bare wire. Copper-to-copper connections only Connection rated at 600 V Max. for building wiring and rated at 1,000 V Max. in lighting fixtures/luminaries and signs

[Read More](#)

SKU: EWN22

Price: \$8.42

Categories: [Wire Nuts](#)

Product Description



Wire Nuts 22-16 Gray, Box Of 100

Fan Wire Nut, The industry standard twist-on connector with top quality, performance and durability. Color-coded for easy size selection. Tight, square-wire spring makes quick, secure connections for positive continuity. Tough, thermoplastic shell shields against environmental extremes. Resists chemical action from hydrocarbons, diluted acid or alkaline solutions. Flame-retardant properties resist heat distortion up to 105 °C (221 °F). High-dielectric shell features deep skirt design to prevent exposure of bare wire. Copper-to-copper connections only. Connection rated at 600 V Max. for building wiring and rated at 1,000 V Max. in lighting fixtures/luminaries and signs

[Read More](#)

SKU: EWN11

Price: \$8.26

Categories: [Wire Nuts](#)

Product Description

Wunder Bar Juice Gun 6 Button, 36 Inches With 3/8 Fitting



Wunder-Bar set the gold standard for soft drink dispensing with the world's first 14 product carbonated and non-carbonated hydraulic post mix bar dispenser. This versatile bargun can be configured for most combinations of carbonated and non-carbonated and even non-carbonated premixed products. Choose from a variety of post mix type dispensers from 1 to 14 different products.

[Read More](#)

SKU: M46JDKS3

Price: \$367.94

Categories: [Bar Guns](#)

Product Description



Wunder Bar Juice Gun 6 Button, 48 Inches With 3/8 Fitting

Wunder-Bar set the gold standard for soft drink dispensing with the world's first 14 product carbonated and non-carbonated hydraulic post mix bar dispenser. This versatile bargun can be configured for most combinations of carbonated and non-carbonated and even non-carbonated premixed products. Choose from a variety of post mix type dispensers from 1 to 14 different products.

[Read More](#)

SKU: M46JDKS4

Price: \$386.64

Categories: [Bar Guns](#)

Product Description



Wunder Bar Juice Gun 8 Button, 36 Inches With 3/8 Fitting

MARK 4 BAR GUN 8 BUTTON JUICE THICKENED WATER
WITH 3/8" FITTING 36" HOSE

[Read More](#)

SKU: M48080K2M3TW-3/8

Price: \$420.16

Categories: [Bar Guns](#)

Product Description



Wunderbar Pump Inlet Fitting, 1/4 Barb

Overall Length 1 1/8"

[Read More](#)

SKU: 3038

Price: \$1.80

Categories: [Parts](#)

Product Description



Yellow Polyethylene Tubing 2 Rolls, 1/4 x 500 Ft

2 Rolls to a box, Hydronix Mfg, Polyethylene Tubing
230 Psi @ 70°F, Max 120 Psi @ 150°F. MADE FOR
PUSH-IN FITTINGS ONLY

[Read More](#)

SKU: PT04-YL-0500

Price: \$91.28

Categories: [Poly](#)

Product Description
