



22-18 Gauge .156 Male Bullet Connector, Vinyl Insulated Terminal, Bag of 100

This series is the most economical insulated terminal available. The PVC insulation sleeve is securely fastened to the butted seam barrel. The insulation has a flared entry for easier wire insertion. Rated 600 volts maximum, building wire; 1000 volts maximum, signs and fixtures. Industry standard color-coding indicates wire range. Temperature rating: 105° C (221° F).

[Read More](#)

SKU: 441205

Price: \$17.12

Categories: [Bullet](#)

Product Description



22-18 Gauge .180 Male Bullet Connector, Vinyl Insulated Terminal, Bag of 100

This series is the most economical insulated terminal available. The PVC insulation sleeve is securely fastened to the butted seam barrel. The insulation has a flared entry for easier wire insertion. Rated 600 volts maximum, building wire; 1000 volts maximum, signs and fixtures. Industry standard color-coding indicates wire range. Temperature rating: 105° C (221° F).

[Read More](#)

SKU: 441405

Price: \$40.72

Categories: [Bullet](#)

Product Description



22-18 Gauge .187 Female Push On Fully Insulated Terminal, Bag of 100

The Pvc insulation sleeve is molded onto the barrel. Transparent nylon allows for easy inspection of connection and is resistant to deformation. The insulation has a flared entry for easier wire insertion. Industry standard color-coding indicates wire range. Rated 600 volts maximum.

[Read More](#)

SKU: 490185
Price: \$28.91
Categories: [Push On](#)

Product Description



22-18 Gauge .187 Female Push On Terminal, Bag of 100

Vinyl-insulated push-on terminal with a metal contact. The terminal is designed for easy connection and disconnection. The material is an economical choice for wire connections. The terminal and wire connections are common in many applications, including vehicles, but can be used in many other applications as well. The insulated terminal is securely fastened to the wire. The insulation has a flared entry for wire insertion. Industry standard color-coding indicates wire range.

Rated 600 volts maximum, building wire; 1000 volts maximum, signs and fixtures. Temperature rating: 105° C (221° F).

[Read More](#)

SKU: 491705

Price: \$18.39

Categories: [Push On](#)

Product Description



22-18 Gauge .187 Male Push On Terminal, Bag Of 100

Vinyl-insulated push-on terminals are female and male blade type connectors that mate with each other to connect or disconnect a wired connection. The vinyl material is an economic insulation that seals the terminal and wire connection. Vinyl-insulated push-on terminals are commonly used in auto and marine vehicles, but can be used in various other electrical applications as well. This series is the most economical insulated terminal available. The PVC insulation sleeve is securely fastened to the butted seam barrel. The insulation has a flared entry for easier wire insertion. Industry standard color-coding indicates wire range. Rated 600 volts maximum, building wire; 1000 volts maximum, signs and fixtures. Temperature rating: 105° C (221° F).

[Read More](#)

SKU: 431705

Price: \$15.91

Categories: [Push On](#)

Product Description



22-18 Gauge .250 Female Flag Push On Fully Insulated Terminal, Bag of 100

Nylon insulation material is molded onto brazed seam barrel and is resistant to deformation. Funnel entry is formed into inside of insulation to allow for easier wire insulation. Brazed seam will not separated under pressure or operating stress. Clear nylon allows for easy inspection of wire connection. Industry standard color-coding indicates wire range. Rated to 600 volts maximum, building wire; 1000 volts maximum, 105° C.

[Read More](#)

SKU: 894105

Price: \$19.30

Categories: [Flag](#)

Product Description



22-18 Gauge On Fully Insulated of 100

The Nylon insulation is molded onto the brazed seam barrel and is resistant to deformation. Transparent nylon allows for easy inspection of wire connection and is resistant to deformation. Funnel entry is formed into inside of insulation to allow for easier wire insulation. Industry standard color-coding indicates wire range. Rated 600 volts maximum, signs and symbols, 105° C (221° F).

[Read More](#)

SKU: 49010

Price: \$24.1

Categories: [Push On](#)

Product Description



22-18 Gauge .250 Male Push On Terminal, Bag Of 100

Vinyl-insulated push-on terminals are female and male blade type connectors that mate with each other to connect or disconnect a wired connection. The vinyl material is an economic insulation that seals the terminal and wire connection. Vinyl-insulated push-on terminals are commonly used in auto and marine vehicles, but can be used in various other electrical applications as well. This series is the most economical insulated terminal available. The PVC insulation sleeve is securely fastened to the butted seam barrel. The insulation has a flared entry for easier wire insertion. Industry standard color-coding indicates wire range. Rated 600 volts maximum, building wire; 1000 volts maximum, signs and fixtures. Temperature rating: 105° C (221° F).

[Read More](#)

SKU: 431005

Price: \$13.74

Categories: [Push On](#)

Product Description



22-18 Gauge 1/4 Stud Ring, High Temp Terminal, Bag of 100

High temperature butt connectors are terminals that mate, connect, or terminate a single wire. High temperature butt connectors are ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. This series is ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. Constructed of steel plated nickel. Rated for continuous operating temperature of 482° C (900° F), intermittent rating of 649° C (1200° F).

[Read More](#)

SKU: 351145

Price: \$23.84

Categories: [Ring](#)

Product Description



22-18 Gauge 1/4 Stud Ring, Vinyl Insulated Terminal, Bag of 100

This series is the most economical insulated terminal available. The PVC insulation sleeve is securely fastened to the butted seam barrel. The insulation has a flared entry for easier wire insertion. Rated 600 volts maximum, building wire; 1000 volts maximum, signs and fixtures. Industry standard color-coding indicates wire range. Temperature rating: 105° C (22

[Read More](#)

SKU: 451145

Price: \$15.66

Categories: [Ring](#)

Product Description



22-18 Gauge 5/16 Stud Ring, High Temp Terminal, Bag of 100

High temperature butt connectors are terminals that mate, connect, or terminate a single wire. High temperature butt connectors are ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. This series is ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. Constructed of steel plated nickel. Rated for continuous operating temperature of 482° C (900° F), intermittent rating of 649° C (1200° F).

[Read More](#)

SKU: 351565

Price: \$23.19

Categories: [Ring](#)

Product Description



22-18 Gauge Vinyl Insula 100

This series is the m
available. The PVC
fastened to the but
a flared entry for ea
maximum, building
and fixtures. Indust
wire range. Temper

[Read More](#)

SKU: 451565
Price: \$15.15
Categories: [Ring](#)

Product Description
