



## 3/4 inch Cord Grip Romex Connector, Replacement For Wilbur Curtis, WC-1412, 3375000076

[Read More](#)

**SKU:** WC-1412

**Price:** \$3.25

**Categories:** [Wilbur Curtis](#)

### Product Description

3/4" Cord Grip Romex Connector

---



## 3/4 Inch Dia x 8 Inch Gauge Shield, Replacement For Wilbur Curtis WC-2010C, WC-2010C-P, 3375002007

Fits Models GEM-3, GEM-5, GEM-8, GEM3, GEM3IF

[Read More](#)

**SKU:** WC-2010C-P

**Price:** \$8.86

**Categories:** [Wilbur Curtis](#)

### Product Description

3/4" Dia x 8" Gauge Shield

---



## 3/4 inch Dia x 8 inches Gauge Shield, Replacement For Grindmaster, A522066

[Read More](#)

**SKU:** A522066

**Price:** \$9.57

**Categories:** [Grindmaster](#)

### Product Description

3/4" Dia x 8" Gauge Shield

---



## 3/4 x 8 Inch Gauge Glass Assembly, Replacement For Wilbur Curtis, WC-2102, 3375002362

Fits Models GEM-3, GEM-5, GEM-8, GEM3, GEM3IF

[Read More](#)

**SKU:** WC-2102

**Price:** \$15.87

**Categories:** [Wilbur Curtis](#)

### Product Description

8"x3/4 Gauge Glass Assembly

---



## 3/4 x 8 Inch Gauge Shield, Replacement For Bunn, 01286.0000

Fits Models 1.5 GPR, 1.5 GPR-FF, 2 GPR

[Read More](#)

**SKU:** 01286.0000

**Price:** \$8.55

**Categories:** [Bunn](#)

### Product Description

3/4" Dia x 8" Gauge Shield

---



## 3/8 Barb Black Ball Lock Disconnect, Liquid

Mfg CM Becker

[Read More](#)

**SKU:** 3000

**Price:** \$6.86

**Categories:** [Bib Accessories](#)

### Product Description

---



## 35 Ft Black Extension Cord, 16/3 Sjt看 Rated At 105C, UL Approved For Out Door Use

16/3 Sjt看 105C, Standard NEMA 5-15 receptacle to NEMA 5-15 plug, perfect for every day connections, Rated for outdoor use, UL listed for safety. Commercial Grade.

[Read More](#)

**SKU:** ELE323-035

**Price:** \$20.77

**Categories:** [Cord](#)

### Product Description

---



## 3M Filters Valve In Head With Shroud And Plug, 3/8 Fpt

This high flow valve-in-head assembly has a maximum operating temperature of 100 degrees F (37.8 degrees C), and a pressure range of 25 - 125 psi (172 - 862 kPa). The head can be used on a variety of water filtration systems including ice machines, steamer, combi or proofer ovens, coffee, espresso or hot tea, as well as cold beverage and iced tea filter systems. Fits Cartridges, HF05-MS, HF10-MS, HF15-MS, HF20-MS, HF25-MS, HF30-MS, HF-35-MS, Brew130-MS, PS114, PS124, P124BN, P195BN

[Read More](#)

**SKU:** 62130-03

**Price:** \$78.69

**Categories:** [Cartridges](#)

### Product Description

---



## 3M Water Filters Cartridge, CFS8112-S, Sold Each Or 12 A Box

3x13 filter, lime scale, sediment taste and odor 1 micron, 1.5 GPM, 10,000 gallon capacity

[Read More](#)

**SKU:** CFS8112-S

**Price:** \$81.23

**Categories:** [Cartridges](#)

### Product Description

---



## 3M Water Filtration Cartridge, HF20-MS, Sold Each Or 12 A Box

3M Water Filtration Cartridge effectively removes chlorine, cyst, sediment and lead at flow rates up to 1.5 GPM. Products HF20-MS A inhibitor reduces the scale to form on the heat exchanger. unscheduled service. o-ring seal type, CE. CFR-21 Compliant. (SQC) encapsulated. and easy cartridge. Height:15", Diameter: 3.5". Capacity: 9,000 gallons (nominal), Media Type: Activated Carbon. Temp: 100° F, Max. Frequency: 6-12 months.

[Read More](#)

**SKU:** HF20-MS**Price:** \$79.98**Categories:** [Cartridges](#)

## Product Description

---



## 3M Water Filters Cartridge, HF25-MS, Sold Each Or 6 A Box

3M Water Filtration Products HF25-MS Replacement Cartridge effectively combines, sediment and chlorine taste and odor at flow rates up to 1.5 gpm. 3M Water Filtration Products HF25-MS A proprietary slow release scale inhibitor reduces the ability of calcium and magnesium to form on the heating coils and cause downtime and unscheduled service maintenance. For higher turbidity water filtration system, Filter Cartridges are o-ring seal type, Certified by NSF to standard 42, FDA CFR-21 Compliant materials, Sanitary Quick Change (SQC) encapsulated cartridge design allows for fast and easy cartridge change-outs with a 1/4 turn, Height:15", Diameter: 4", Flow Rate: 1.5 gpm, Capacity: 10,000 gallons, Micron Rating: 1.0 micron (nominal), Media Type: Carbon Block, Max Water Temp: 100° F, Max Water Pressure: 125 psi, Change Frequency: 6-12 months

[Read More](#)**SKU:** HF25-MS**Price:** \$74.92**Categories:** [Cartridges](#)

## Product Description

---



## 3M Water Filters Cartridge, HF25-S, Sold Each Or 6 A Box

3M Water Filtration Products HF25-S Replacement Cartridge effectively combines, sediment and chlorine reduction for equipment protection and clearer, great tasting ice. 3M Water Filtration Products HF25-S Replacement Cartridge has a built-in scale inhibitor which reduces the ability of calcium and magnesium to precipitate on the evaporator plates as hard scale. For Low Flow Cubers to 750 lbs., High Flow Cubers to 200 lbs. or Flakers to 1,200 lbs. Filter Cartridges require no pre-activation and incorporate carbon block filtration medium and scale inhibitor. Application: Higher Turbidity Water, Ice Filtration System, Filter Cartridges are o-ring seal type, Certified by NSF to standard 42, FDA CFR-21 Compliant materials, Sanitary Quick Change (SQC) encapsulated cartridge design allows for fast and easy cartridge change-outs with a 1/4 turn, Height:15", Diameter: 4", Flow Rate: 1.5 gpm, Capacity: 10,000 gallons, Micron Rating: 1.0 micron (nominal), Media Type: Carbon Block, Max Water Temp: 100° F, Max Water Pressure: 125 psi, Change Frequency: 6-12 months

[Read More](#)

**SKU:** HF25-S

**Price:** \$76.88

**Categories:** [Cartridges](#)

### Product Description

---