



6 Foot 14/3 Round Black Cord With Molded Plug 15 Amp 125 Volt 1875 Watts SJTW 105C

[Read More](#)

SKU: 09716

Price: \$7.89

Categories: [General Parts](#)

Product Description

6' 14/3 black 5-15P SJTW 105C Cord Set



6 Foot 14/3 Round Black Cord With Molded Plug 15 Amp 125 Volt 1875 Watts SJTW 105C Replacement For Bloomfield #8942-48, Star #2E-41050

Fits Models 8780, 8780CA, 8782, 8782CA, 8782XL, 8782XLCA, 8783CA, 8785CA, 8785XL, 8795, 9121

[Read More](#)

SKU: 8942-48

Price: \$7.89

Categories: [Bloomfield](#)

Product Description

6' 14/3 black 5-15P SJTW 105C Cord Set, Star #2E-41050



**6 Foot 14/3 Round Black Cord
With Molded Plug 15 Amp 125
Volt 1875 Watts SJTW 105C,
Replacement For Bunn
#01719.1004 And #20630.0014**

Fits Models All 120 Volt Machines

[Read More](#)

SKU: 01719.1004

Price: \$7.89

Categories: [Bunn](#)

Product Description

6' 14/3 Black Cord



**6 Foot 14/3 Round Black Cord
With Molded Plug 15 Amp 125
Volt 1875 Watts SJTW 105C,
Replacement For Wilbur Curtis,
WC-1200, 3375000233**

Fits Models CLC, CLCA, GEM-120A

[Read More](#)

SKU: WC-1200

Price: \$7.89

Categories: [Wilbur Curtis](#)

Product Description

6' 14/3 Black 15A/125V 1875 Watts Pigtail Molded Straight Plug. Thermoplastic Jacket 300V, Water Resistant



**6 Foot 16/3 Black 5-15P SJTW
105C Cord Set, 13 Amp 125 Volt
1625 Watts, Replacement For
Bunn #01637.0000**

Fits Models Bunn, GMB-PS, HW2, ITB, OHW, OHWA, S, T3, T3A, T6, T6A, TB3, TB3-LP, TB3Q, TB3Q-LP, TB6, TB6Q, TNT-3, TNTF-3, TU3, TU3Q, TU3Q-EZ, TU3QF-EZ, TW, TWF, TWF-15, TWF-EZ, VLPF, VP17, VP17A, VP17B, VPR, VPR APS, VPR TC, VPS (Lighted Switches), VPS (W/O Lighted Switches), WS2B, WX2

[Read More](#)

SKU: 01637.0000

Price: \$6.00

Categories: [Bunn](#)

Product Description

6' 16/3 black 5-15P SJTW 105C Cord Set

**6 Gauge Bu
Terminal, B**



Vinyl-insulated butt terminals that are used to join a single wire. The vinyl insulation and the blue color of the terminal make them easy to identify. This type of terminal has been used for many years and are great for marine applications. They are used in a variety of applications that utilize wire to transmit power. This series is the most commonly used and is available in a variety of sizes. The PVC insulation is fastened to the butt terminal with a flared entry for each wire. The standard color-coding is used for 120 volts maximum, but

signs and fixtures. Temperature rating: 105° C (221° F).

[Read More](#)

SKU: 425005

Price: \$32.49

Categories: [Butt](#)

Product Description



6 In 1 Screwdriver, Made In USA

#1 And #2 Phillips, 3/16 And 9/32 Slotted, 1/4 & 5/16 Hex Nut Driver

[Read More](#)

SKU: SCD61

Price: \$7.87

Categories: [Hand](#)

Product Description



6000 Grain Rechargeable Water Softener, Fpt 3/4 7 Inches Wide x 15 Inches Tall

To Reduce Down, Use Bushings 110A-EB For 1/4 Fpt Or 110A-EC For 3/8 Fpt.

[Read More](#)

SKU: WS6000

Price: \$112.20

Categories: [Softeners](#)

Product Description



64 Ounce Stainless Steel Pitcher

8 Cups Or 2.0 Liter With Graduated Lines In Ounces And Milliliters Inside Pitcher

[Read More](#)

SKU: 64SSPIT

Price: \$46.48

Categories: [Beverage](#)

Product Description



7 Hole Plastic Head, Replacement For Bunn #40670.0005

Fits Models AXIOM, AXIOM BrewWise, Axiom, Bunn, CDBC, CDBC APS, CDBC Series, CDBC TWIN, CDBC TWIN APS, CDBCD-DV, CDBCf, CDBCf APS, CDBCf-LPTC, CDBCfP, CDBCfP, CEZ, CEZ TWIN, CEZ TWIN APS, CEZF, Core Bundle, DUAL SH 1.50, DUAL SH 1.75

[Read More](#)

SKU: 40670.0005

Price: \$1.60

Categories: [Bunn](#)

Product Description

6 Hole Plastic Head



7.0 Oetiker Style Stepless Clamp, 25 A Bag

5.8-7.0 mm or 15/64-9/32, Used For 1/4 Poly Tubing

[Read More](#)

SKU: 7.0-25

Price: \$6.75

Categories: [Oetiker Style Bag Of 25](#)

Product Description



8 Gauge Black Rvi Wire 100 Foot Roll

Non Stock, Item Must Be Ordered. 8 gauge RVI hook-up wire is ideal for machine tools, control cabinets, automotive and marine applications. The thermoplastic insulation is moisture resistant and provides extra protection against nicks and cuts. UL style 1015/1230, 105°C, rated for 600 volts. Manufactured to meet or exceed the specifications of the RVI, NFDA, ANSI and J1128. CSA file no. 22035, UL file no. E51293.

Specifications printed on wire. Use in internal wiring where exposure to temperatures does not exceed 221°F or where exposure to oil at temperatures not exceeding 140°F. CSA type TEW FT1.

[Read More](#)

SKU: 29081-05

Price: \$124.97

Categories: [8 Gauge](#)

Product Description
