



## 5/8 x 8 Inch Gauge Glass, Replacement For Bunn #01283.1000

Fits Models 1.5 GPR, 1.5 GPR-FF, 2 GPR

[Read More](#)

**SKU:** 01283.1000

**Price:** \$3.65

**Categories:** [Bunn](#)

### Product Description

5/8 x 8" Gauge Glass

---



## 5/8 x 8 Inch Gauge Glass, Replacement For Wilbur Curtis, WC-2025, 3375000297

Fits Models GEM-3, GEM-5, GEM-8, GEM3, GEM3IF,  
TXSG0101S600

[Read More](#)

**SKU:** WC-2025

**Price:** \$3.85

**Categories:** [Wilbur Curtis](#)

### Product Description

5/8 x 8" Gauge Glass

---



## 50 Ft Black Extension Cord, 16/3 Sjtwt Rated At 105C, UL Approved For Out Door Use

16/3 Sjtwt 105C, Standard NEMA 5-15 receptacle to NEMA 5-15 plug, perfect for every day connections, Rated for outdoor use, UL listed for safety. Commercial Grade.

[Read More](#)

**SKU:** ELE323-050

**Price:** \$24.30

**Categories:** [Cord](#)

### Product Description

---



## 50 Psi Water Regulator With 3/8 Stainless Steel Barbs

Shurflo Water Pressure Reducer Valves (WPRV) are fixed pressure, water-reducing devices (non-adjustable). The WPRV minimizes incoming water pressure fluctuations while guarding against pressure spikes. Actual pressure reduction is dependent upon input pressure and outlet flow rate.

[Read More](#)

**SKU:** 183-150-SS

**Price:** \$38.43

**Categories:** [Regulator](#)

### Product Description

---



## 6 Foot 14/3 Round Black Cord With Molded Plug 15 Amp 125 Volt 1875 Watts SJTW 105C

[Read More](#)

**SKU:** 09716

**Price:** \$6.51

**Categories:** [General Parts](#)

### Product Description

6' 14/3 black 5-15P SJTW 105C Cord Set

---



## 6 Foot 14/3 Round Black Cord With Molded Plug 15 Amp 125 Volt 1875 Watts SJTW 105C Replacement For Bloomfield #8942-48, Star #2E-41050

Fits Models 8780, 8780CA, 8782, 8782CA, 8782XL, 8782XLCA, 8783CA, 8785CA, 8785XL, 8795, 9121

[Read More](#)

**SKU:** 8942-48

**Price:** \$6.51

**Categories:** [Bloomfield](#)

### Product Description

6' 14/3 black 5-15P SJTW 105C Cord Set, Star #2E-41050

---



**6 Foot 14/3 Round Black Cord  
With Molded Plug 15 Amp 125  
Volt 1875 Watts SJTW 105C,  
Replacement For Bunn  
#01719.1004 And #20630.0014**

Fits Models All 120 Volt Machines

[Read More](#)

**SKU:** 01719.1004

**Price:** \$6.51

**Categories:** [Bunn](#)

**Product Description**

6' 14/3 Black Cord

---



**6 Foot 14/3 Round Black Cord  
With Molded Plug 15 Amp 125  
Volt 1875 Watts SJTW 105C,  
Replacement For Wilbur Curtis,  
WC-1200, 3375000233**

Fits Models CLC, CLCA, GEM-120A

[Read More](#)

**SKU:** WC-1200

**Price:** \$6.51

**Categories:** [Wilbur Curtis](#)

**Product Description**

6' 14/3 Black 15A/125V 1875 Watts Pigtail Molded Straight Plug. Thermoplastic Jacket 300V, Water Resistant

---



## 6 Foot 16/3 Black 5-15P SJTW 105C Cord Set, Replacement For Bunn #01637.0000

Fits Models Bunn, GMB-PS, HW2, ITB, OHW, OHWA, S, T3, T3A, T6, T6A, TB3, TB3-LP, TB3Q, TB3Q-LP, TB6, TB6Q, TNT-3, TNTF-3, TU3, TU3Q, TU3Q-EZ, TU3QF-EZ, TW, TWF, TWF-15, TWF-EZ, VLPF, VP17, VP17A, VP17B, VPR, VPR APS, VPR TC, VPS (Lighted Switches), VPS (W/O Lighted Switches), WS2B, WX2

[Read More](#)

**SKU:** 01637.0000

**Price:** \$6.00

**Categories:** [Bunn](#)

### Product Description

6' 16/3 black 5-15P SJTW 105C Cord Set

---



## 6 Ft Black Extension Cord, 16/3 Sjtw Rated At 105C, UL Approved For Out Door Use

16/3 Sjt看 105C, Standard NEMA 5-15 receptacle to NEMA 5-15 plug, perfect for every day connections, Rated for outdoor use, UL listed for safety. Commercial Grade.

[Read More](#)

**SKU:** ELE323-006

**Price:** \$5.78

**Categories:** [Cord](#)

### Product Description

---

## 6 Gauge Butt Connector Terminal, Bag Of 25



Vinyl-insulated butted seam butt connectors are terminals that are used to mate, connect, or terminate a single wire. The vinyl material acts as an economic insulation and the butted seam is the most common type of terminal barrel. Vinyl-insulated butt connectors are great for marine vehicles, and in other applications that utilize wire to transfer electrical current. This series is the most economical insulated terminal available. The PVC insulation sleeve is securely fastened to the butted seam barrel. The insulation has a flared entry for easier wire insertion. Industry standard color-coding indicates wire range. Rated 600 volts maximum, building wire; 1000 volts maximum, signs and fixtures. Temperature rating: 105° C (221° F).

[Read More](#)

**SKU:** 425005

**Price:** \$32.49

**Categories:** [Butt](#)

### Product Description

---



## 6 In 1 Screwdriver, Made In USA

#1 And #2 Phillips, 3/16 And 9/32 Slotted, 1/4 & 5/16  
Hex Nut Driver

[Read More](#)

**SKU:** SCD61

**Price:** \$6.64

**Categories:** [Hand](#)

### Product Description

---