

### 8 Gauge Butt Connector Terminal, Bag Of 25

Vinyl-insulated butted seam butt connectors are terminals that are used to mate, connect, or terminate a single wire. The vinyl material acts as an economic insulation and the butted seam is the0 most common type of terminal barrel. Vinyl-insulated butt connectors are great for marine vehicles, and in other applications that utilize wire to transfer electrical current. This series is the most economical insulated terminal available.The PVC insulation sleeve is securely fastened to the butted seam barrel. The insulation has a flared entry for easier wire insertion. Industry standard color-coding indicates wire range. Rated 600 volts maximum, building wire; 1000 volts maximum, signs and fixtures. Temperature rating: 105° C (221° F).

#### **Read More**

SKU:	424005
Price:	\$20.57
<b>Categories:</b>	<u>Butt</u>

#### WooCommerce PDF Catalog



### 8 Gauge Red Rvi Wire 100 Foot Roll

Non Stock, Item Must Be Ordered. 8 gauge RVI hookup wire is ideal for machine tools, control cabinets, automotive and marine applications. The thermoplastic insulation is moisture resistant and provides extra protection against nicks and cuts. UL style 1015/1230, 105°C, rated for 600 volts. Manufactured to meet or exceed the specifications of the RVI, NFDA, ANSI and J1128. CSA file no. 22035, UL file no. E51293. Specifications printed on wire. Use in internal wiring where exposure to temperatures does not exceed 221°F or where exposure to oil at temperatures not exceeding 140°F. CSA type TEW FT1.

#### Read More

SKU:	29081-01
Price:	\$124.97
<b>Categories:</b>	8 Gauge

### **Product Description**

## 8 Gauge Wł Foot Roll

Non Stock, Item Mu up wire is ideal for automotive and ma insulation is moistu protection against i 105°C, rated for 60 exceed the specific J1128. CSA file no. 3 Specifications print where exposure to 221°F or where exp

**Developer By PDF Catalog Woocommerce** 

exceeding 140°F. CSA type TEW FT1. Read More SKU: 29081-02 Price: \$124.94 Categories: 8 Gauge

### **Product Description**



# 8 Inch Frothing Thermometer With Clip

This frothing thermometer has a range of 30°F to 220°F degrees. It will accurately measure the temperature when heating milk or Turkish coffee to frothing. Features include dial diameter - 1.75", length - 8" stem, NSF approved.

#### Read More

SKU: T220-38APrice: \$8.27Categories: Thermometers

### **Product Description**



# 8.0 Oetiker Style Stepless Clamp, 25 A Bag

6.8-8.0 mm or 17/64-5/16 <u>Read More</u> **SKU:** 8.0-25 **Price:** \$6.75 **Categories:** Oetiker Style Bag Of 25

### **Product Description**



# 8.7 Oetiker Style Stepless Clamp, 25 A Bag

7.0-8.7 mm or 9/32-11/32 <u>Read More</u> **SKU:** 8.7-25 **Price:** \$6.75 **Categories:** <u>Oetiker Style Bag Of 25</u>

**Product Description** 



8000 Grain Rechargeable Water Softener, Fpt 3/4 7 Inches Wide x 21 Inches Tall

To Reduce Down, Use Bushings 110A-EB For 1/4 Fpt Or 110A-EC For 3/8 Fpt.

### Read More

 SKU:
 WS8000

 Price:
 \$120.33

 Categories:
 Softeners

### WooCommerce PDF Catalog



## 9.5 Oetiker Style Stepless Clamp, 100 A Bag

7.8-9.5 mm or 5/16-3/8		
Read More		
SKU:	9.5-100	
Price:	\$19.20	
<b>Categories:</b>	Oetiker Style Bag Of 100	

**Product Description** 



# 9.5 Oetiker Style Stepless Clamp, 25 A Bag

7.8-9.5 mm or 5/16-3/8
Read More
SKU: 9.5-25
Price: \$6.75
Categories: Oetiker Style Bag Of 25

#### WooCommerce PDF Catalog



### Adapter Barb x Female Garden Hose Swivel, 3/4 x 3/4

Non Stock, Item Must Be Ordered <u>Read More</u> **SKU:** 209GHS-12E

Price: \$2.88 Categories: Garden Hose

**Product Description** 



## Adapter Barb x Female Garden Hose Swivel, 5/8 x 3/4

Non Stock, Item Must Be Ordered <u>Read More</u> **SKU:** 209GHS-10E

**Price:** \$3.16

Categories: Garden Hose



## Adapter Barb x Female Swivel Ball End 1/4 x 3/8

For Use With 122AS-6C, Or To Convert To Standard Beverage Tubing With 1/4 Id. Also On The Back Of Espresso Equipment Using A 3/8 Bsp Thread With Concave End.

Read More

SKU:	209AS-4C
Price:	\$3.68
Categories	: Adapters