



All Stainless Steel Mini Worm Gear Hose Clamp, 7/32-5/8 Inch

5/16 Band , 6-14 mm, 1/4 Hex Slot Nut

[Read More](#)

SKU: M4P

Price: \$0.42

Categories: [Worm Gear](#)

Product Description

Amprobe Test Leads With Alligator Clips, Rated 1000 Volts

Test lead set connects a compatible electrical test meter to a device for testing. Set includes two lead wires, two threaded test probe tips, and two alligator clips. Polyvinyl chloride (PVC) insulation helps protect hands from shock and heat 2.67" threaded alligator clips have 0.30" jaw opening and teeth that grip the conductor to provide a more secure, hands-free connection than probe tips Meets International Electrotechnical Commission (IEC) safety standard 61010 and is certified for category III installations up to 1,000V

[Read More](#)

SKU: TL-100

Price: \$36.64

Categories: [Hand](#)

Product Description



Angle Chain Retainer 20/30/50, Replacement For Star #A5- Z8410

Fits Models 20, 20C, 20CE, 20CR, 20S, 20SC, 20SCE, 20SCR, 30, 30BB, 30BD, 30C, 30CBB, 30CBBC, 30CBBE, 30CBD, 30CBDE, 30CDV, 30CE, 30CF, 30CHD, 30CHDE, 30CR, 30CRBB, 30D, 30F, 30HD, 30S, 30SBB, 30SBBC, 30SC, 30SCBB, 30SCBBC, 30SCBBE, 30SCBD, 30SCBDE, 30SCDV, 30SCE, 30SCEX, 30SCF, 30SCHD, 30SCHDE, 30SCHDM, 30SCR, 30SCRBB, 30SF, 45SCHDEP, 50, 50BB, 50BD, 50C, 50CBB, 50CBBC, 50CBBE, 50CBBES, 50CBD, 50CBDE, 50CDV, 50CE, 50CF, 50CHD, 50CHDE, 50CR, 50CRBB, 50CSA, 50DV, 50F, 50HD, 50S, 50SBB, 50SBBC, 50SC, 50SC-ST, 50SC-STs, 50SCBB, 50SCBBC, 50SCBBE, 50SCBD, 50SCBDE, 50SCBDE-CSA, 50SCBDESW, 50SCDV, 50SCE, 50SCE-ST, 50SCEQT, 50SCEX, 50SCF, 50SCHD, 50SCHDE, 50SCHDEM, 50SCHDEP, 50SCHDM, 50SCR, 50SCRBB, 50SF, 75SCHDEM, 75SCHDM

[Read More](#)

SKU: A5-Z8410

Price: \$12.51

Categories: [Star](#)

Product Description

Angle Chain Retainer 20/30/50



Angle Stop Max Adapter Valve, Male Compression x Female Compression x Tube 3/8 x 3/8 x 1/4

John Guest Mfg, Sold Each, Less Expensive Then Using
Max Adapter And Valve Together

[Read More](#)

SKU: LQFA0406F

Price: \$12.13

Categories: [Valve](#)

Product Description



Angle Stop Max Adapter Valve, Male Compression x Female Compression x Tube 3/8 x 3/8 x 3/8

John Guest Mfg, Sold Each, Less Expensive Then Using
Max Adapter And Valve Together


[Read More](#)

SKU: PPASV-6

Price: \$12.92

Categories: [Valve](#)

Product Description



Angle Stop Max Adapter, Lead Free 1/2 Npt x 1/2 Comp x 1/4 Comp

Male Pipe x Female Pipe Swivel x Male Compression Lead Free, Easily Converts Old Style Angle Or Straight Stops To Dual Outlet Valves

[Read More](#)

SKU: MAX84NPT

Price: \$11.58

Categories: [Adapters](#)

Product Description



Angle Stop Max Adapter, Lead Free 1/2 x 1/2 x 1/4

Male Compression x Female Compression Swivel x Male Compression Lead Free, Easily Converts Angle Or Straight Stops To Dual Outlet Valves

[Read More](#)

SKU: MAX84

Price: \$10.23

Categories: [Adapters](#)

Product Description



Angle Stop Max Adapter, Lead Free 1/2 x 1/2 x 3/8

Male Compression x Female Compression Swivel x Male Compression Lead Free, Easily Converts Angle Or Straight Stops To Dual Outlet Valves

[Read More](#)

SKU: MAX86

Price: \$10.27

Categories: [Adapters](#)

Product Description



Angle Stop Max Adapter, Lead Free 3/8 x 3/8 x 1/4

Male Compression x Female Compression Swivel x Male Compression, Easily Converts Angle Or Straight Stops To Dual Outlet Valves

[Read More](#)

SKU: MAX4

Price: \$5.41

Categories: [Adapters](#)

Product Description



Angle Stop Max Adapter, Lead Free 3/8 x 3/8 x 3/8

Male Compression x Female Compression Swivel x Male Compression, Easily Converts Angle Or Straight Stops To Dual Outlet Valves

[Read More](#)

SKU: MAX6

Price: \$5.92

Categories: [Adapters](#)

Product Description



Angle Stop, Lead Free, 5/8 Inch. Od Compression x 3/8 Inch Od Compression, Chrome Plated Finish, Multi Turn.

This angle stop features a solid brass construction, a chrome-plated finish, and a celcon stem. All of its features comply with state lead-free requirements.

[Read More](#)

SKU: 101584

Price: \$4.43

Categories: [Plumbing](#)

Product Description



Aquatec 28 Ounce Accumulator Tank With 3/8 Female Pipe Threads

Convenient 3/8" Female NPT ports. Compact design fits in small spaces, Dimension 8.92" L X 4.84" W X 4.13" H Dampens pump switch cycling/pulsations. Limits harmful spikes/water hammer. Minimizes hydraulic noise NSF food grade materials Easy to install and maintain Mounts in any position with included bracket. Maximum Working Pressure - 125 PSI. Pre-Charge - 20 PSI

[Read More](#)

SKU: 30573-0002B

Price: \$51.30

Categories: [Pumps](#)

Product Description
