



11.3 Oetiker Style Stepless Clamp, 100 A Bag

9.6-11.3 mm or 3/8-7/16

[Read More](#)

SKU: 11.3-100

Price: \$19.20

Categories: [Oetiker Style Bag Of 100](#)

Product Description



11.3 Oetiker Style Stepless Clamp, 25 A Bag

9.6-11.3 mm or 3/8-7/16

[Read More](#)

SKU: 11.3-25

Price: \$6.75

Categories: [Oetiker Style Bag Of 25](#)

Product Description



11.8 Oetiker Style Stepless Clamp, 100 A Bag

10.1-11-8 mm or 25/64-15/32

[Read More](#)

SKU: 11.8-100

Price: \$19.20

Categories: [Oetiker Style Bag Of 100](#)

Product Description



11.8 Oetiker Style Stepless Clamp, 25 A Bag

10.1-11-8 mm or 25/64-15/32

[Read More](#)

SKU: 11.8-25

Price: \$6.75

Categories: [Oetiker Style Bag Of 25](#)

Product Description



1112167 Java Clean 2, Coffee And Tea Cleaner, Box Of 96 Filter Pouches

Box Of 96 .6 Oz Filter Pouches. Cleaning Pouch Technology Makes Cleaning As Easy As Brewing A Pot Of Coffee Or Tea. Easy Rinsing With No Left Over Chemical Residue Or After Taste. Safe On All Glass, Sight Glass, Plastic, Stainless Steel Servers And Carafes. Easy-To-Use, Fast Dissolution, Non-Corrosive, Non-Phosphate Cleaner.

[Read More](#)

SKU: JC2

Price: \$32.61

Categories: [Cleaners](#)

Product Description

1112171 Activated Descaler Packets, 24-7oz To A Case

One Packet Per One Gallon Of Water. For Use On Hot Water Tanks, Boilers, Machine Parts, Stainless Steel, Glass, And Plastic. (Citric Acid)

[Read More](#)

SKU: ADC7

Price: \$58.53

Categories: [Descalers](#)



Product Description

24-7oz Activated Descaler Packets To A Case



12 Gauge Black Rvi Wire 100 Foot Roll

Non Stock, Item Must Be Ordered. 12 gauge RVI hook-up wire is ideal for machine tools, control cabinets, automotive and marine applications. The thermoplastic insulation is moisture resistant and provides extra protection against nicks and cuts. UL style 1015/1230, 105°C, rated for 600 volts. Manufactured to meet or exceed the specifications of the RVI, NFDA, ANSI and J1128. CSA file no. 22035, UL file no. E51293. Specifications printed on wire. Use in internal wiring where exposure to temperatures does not exceed 221°F or where exposure to oil at temperatures not exceeding 140°F. CSA type TEW FT1.

[Read More](#)

SKU: 29121-05

Price: \$60.99

Categories: [12 Gauge](#)

Product Description



12 Gauge Blue Rvi Wire 100 Foot Roll

Non Stock, Item Must Be Ordered. 12 gauge RVI hook-up wire is ideal for machine tools, control cabinets, automotive and marine applications. The thermoplastic insulation is moisture resistant and provides extra protection against nicks and cuts. UL style 1015/1230, 105°C, rated for 600 volts. Manufactured to meet or exceed the specifications of the RVI, NFDA, ANSI and J1128. CSA file no. 22035, UL file no. E51293. Specifications printed on wire. Use in internal wiring where exposure to temperatures does not exceed 221°F or where exposure to oil at temperatures not exceeding 140°F. CSA type TEW FT1.

exceeding 140°F. CSA type TEW FT1.

[Read More](#)

SKU: 29121-03

Price: \$60.99

Categories: [12 Gauge](#)

Product Description



12 Gauge Brown Rvi Wire 100 Foot Roll

Non Stock, Item Must Be Ordered. 12 gauge RVI hook-up wire is ideal for machine tools, control cabinets, automotive and marine applications. The thermoplastic insulation is moisture resistant and provides extra protection against nicks and cuts. UL style 1015/1230, 105°C, rated for 600 volts. Manufactured to meet or exceed the specifications of the RVI, NFDA, ANSI and J1128. CSA file no. 22035, UL file no. E51293.

Specifications printed on wire. Use in internal wiring where exposure to temperatures does not exceed 221°F or where exposure to oil at temperatures not exceeding 140°F. CSA type TEW FT1.

[Read More](#)

SKU: 29121-07

Price: \$60.99

Categories: [12 Gauge](#)

Product Description



12 Gauge Green Rvi Wire 100 Foot Roll

Non Stock, Item Must Be Ordered. 12 gauge RVI hook-up wire is ideal for machine tools, control cabinets, automotive and marine applications. The thermoplastic insulation is moisture resistant and provides extra protection against nicks and cuts. UL style 1015/1230, 105°C, rated for 600 volts. Manufactured to meet or exceed the specifications of the RVI, NFDA, ANSI and J1128. CSA file no. 22035, UL file no. E51293. Specifications printed on wire. Use in internal wiring where exposure to temperatures does not exceed 221°F or where exposure to oil at temperatures not exceeding 140°F. CSA type TEW FT1.

[Read More](#)

SKU: 29121-04

Price: \$60.99

Categories: [12 Gauge](#)

Product Description



12 Gauge Red Rvi Wire 100 Foot Roll

Non Stock, Item Must Be Ordered. 12 gauge RVI hook-up wire is ideal for machine tools, control cabinets, automotive and marine applications. The thermoplastic insulation is moisture resistant and provides extra protection against nicks and cuts. UL style 1015/1230, 105°C, rated for 600 volts. Manufactured to meet or exceed the specifications of the RVI, NFDA, ANSI and J1128. CSA file no. 22035, UL file no. E51293. Specifications printed on wire. Use in internal wiring where exposure to temperatures does not exceed 221°F or where exposure to oil at temperatures not exceeding 140°F. CSA type TEW FT1.

exceeding 140°F. CSA type TEW FT1.

[Read More](#)

SKU: 29121-01

Price: \$60.99

Categories: [12 Gauge](#)

Product Description



12 Gauge White Rvi Wire 100 Foot Roll

Non Stock, Item Must Be Ordered. 12 gauge RVI hook-up wire is ideal for machine tools, control cabinets, automotive and marine applications. The thermoplastic insulation is moisture resistant and provides extra protection against nicks and cuts. UL style 1015/1230, 105°C, rated for 600 volts. Manufactured to meet or exceed the specifications of the RVI, NFDA, ANSI and J1128. CSA file no. 22035, UL file no. E51293.

Specifications printed on wire. Use in internal wiring where exposure to temperatures does not exceed 221°F or where exposure to oil at temperatures not exceeding 140°F. CSA type TEW FT1.

[Read More](#)

SKU: 29121-02

Price: \$60.99

Categories: [12 Gauge](#)

Product Description
