



## C Ring, Replacement For Bloomfield, 8600-26, Star, WS-8600-26

Fits Models 1-9N, 2121, 2221, 8602, 8699, 8705, 8799, 8800-BL, 8802, 9105DP, 9105SS, 9311, 9340, 9421 (SS2-HE), 9440, 9520, 9520FB, 9521, 9521FB

[Read More](#)

**SKU:** 8600-26

**Price:** \$1.68

**Categories:** [Bloomfield](#)

### Product Description

C Ring, Star #WS-8600-26

---



## C-Ring, For Use On Tc s, Replacement For Wilbur Curtis, WC-1906, 3375000094

Fits Models TCN, TFT1, TXSG0101S600, TXSG1501S600, WB-10-12, Wilbur Curtis CFA Warehouse

[Read More](#)

**SKU:** WC-1906

**Price:** \$2.76

**Categories:** [Wilbur Curtis](#)

### Product Description

C-Ring, For Use On Tc's

---

## C-Ring, Replacement For Bunn 01221.0000



Fits Models 1 GPR, 1 GPR-FF, 1.5 GPR, 1.5 GPR-FF, 1.75 GPR-FF, 2 GPR, 34100, H10X, H5E, H5M, H5X, H5X-18-120, H5X-40-208, HW2, HW2A, ICD-3S, ICD3, ITCB, SH SERVER 1.0, SH SERVER 1.5, SH SERVER 1.75, SRU, SRUA, TD3T-N, TD4, TD4T, TDO-3.5, TDO-4, TDO-4T, TDO-5, TDO-N-3.5, TDR-3, TDR-5, TDS-3S, TDS-5S, TDS3, TDS3.5, TDS5, TF SERVER, TITAN TF SERVER 3.0, ThermoFresh, U3, U3A

[Read More](#)

**SKU:** 01221.0000

**Price:** \$1.35

**Categories:** [Bunn](#)

### Product Description

C-Ring

## Cable Ties 14 Inch Uv Black, 85 lbs Tensile Strength, Bag Of 100



Designed to provide up to 50% more tensile strength and 15% larger bundle diameters. Raised ridges on the plastic zip ties and bent tips provide a secure grip with minimal effort to close. One-piece, injection-molded construction eliminates failure due to parts working loose or breaking off.

[Read More](#)

**SKU:** CTBK-1400

**Price:** \$9.86

**Categories:** [Ties/Mounts](#)

### Product Description



## Cable Ties 14 Inch, 75 lbs Tensile Strength, Bag Of 100

Designed to provide up to 50% more tensile strength and 15% larger bundle diameters. Raised ridges on the plastic zip ties and bent tips provide a secure grip with minimal effort to close. One-piece, injection-molded construction eliminates failure due to parts working loose or breaking off. Recognized under UL file # E125869. Meets UL94V-2 Flammability Classification.

[Read More](#)

**SKU:** CT-1500

**Price:** \$15.00

**Categories:** [Ties/Mounts](#)

### Product Description

---



## Cable Ties 4 Inch Uv Black, 18 lbs Tensile Strength, Bag Of 100

Designed to provide up to 50% more tensile strength and 15% larger bundle diameters. Raised ridges on the plastic zip ties and bent tips provide a secure grip with minimal effort to close. One-piece, injection-molded construction eliminates failure due to parts working loose or breaking off. Recognized under UL file # E125869. Meets UL94V-2 Flammability Classification.

[Read More](#)

**SKU:** CTBK-0400

**Price:** \$4.95

**Categories:** [Ties/Mounts](#)

### Product Description

---



## Cable Ties 4 Inch, 18 lbs Tensile Strength, Bag Of 100

Designed to provide up to 50% more tensile strength and 15% larger bundle diameters. Raised ridges on the plastic zip ties and bent tips provide a secure grip with minimal effort to close. One-piece, injection-molded construction eliminates failure due to parts working loose or breaking off. Recognized under UL file # E125869. Meets UL94V-2 Flammability Classification.

[Read More](#)

**SKU:** CT-0400

**Price:** \$2.10

**Categories:** [Ties/Mounts](#)

### Product Description

---



## Cable Ties 6 Inch Uv Black, 40 lbs Tensile Strength, Bag Of 100

Designed to provide up to 50% more tensile strength and 15% larger bundle diameters. Raised ridges on the plastic zip ties and bent tips provide a secure grip with minimal effort to close. One-piece, injection-molded construction eliminates failure due to parts working loose or breaking off. Recognized under UL file # E125869. Meets UL94V-2 Flammability Classification.

[Read More](#)

**SKU:** CTBK-0600

**Price:** \$6.46

**Categories:** [Ties/Mounts](#)

### Product Description

---



## Cable Ties 6 Inch, 45 lbs Tensile Strength, Bag Of 100

Designed to provide up to 50% more tensile strength and 15% larger bundle diameters. Raised ridges on the plastic zip ties and bent tips provide a secure grip with minimal effort to close. One-piece, injection-molded construction eliminates failure due to parts working loose or breaking off. Recognized under UL file # E125869. Meets UL94V-2 Flammability Classification.

[Read More](#)

**SKU:** CT-0600

**Price:** \$5.40

**Categories:** [Ties/Mounts](#)

### Product Description

---



## Cable Ties 8 Inch Multi Color, 200 Pack

50lb Strength, UV Resistant Strong Nylon Cable Ties, Self-Locking

[Read More](#)

**SKU:** CT-008MM

**Price:** \$27.62

**Categories:** [Ties/Mounts](#)

### Product Description

---



## Cable Ties 8 Inch Uv Black, 75 lbs Tensile Strength, Bag Of 100

Designed to provide up to 50% more tensile strength and 15% larger bundle diameters. Raised ridges on the plastic zip ties and bent tips provide a secure grip with minimal effort to close. One-piece, injection-molded construction eliminates failure due to parts working loose or breaking off. Recognized under UL file # E125869. Meets UL94V-2 Flammability Classification.

[Read More](#)

**SKU:** CTBK-0800

**Price:** \$8.49

**Categories:** [Ties/Mounts](#)

### Product Description

---



## Cable Ties 8 Inch, 75 lbs Tensile Strength, Bag Of 100

Designed to provide up to 50% more tensile strength and 15% larger bundle diameters. Raised ridges on the plastic zip ties and bent tips provide a secure grip with minimal effort to close. One-piece, injection-molded construction eliminates failure due to parts working loose or breaking off. Recognized under UL file # E125869. Meets UL94V-2 Flammability Classification.

[Read More](#)

**SKU:** CT-0800

**Price:** \$6.30

**Categories:** [Ties/Mounts](#)

### Product Description

---