



## 12-10 Gauge 5/16 Stud Ring, High Temp Terminal, Bag of 100

High temperature butt connectors are terminals that mate, connect, or terminate a single wire. High temperature butt connectors are ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. This series is ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. Constructed of steel plated nickel. Rated for continuous operating temperature of 482° C (900° F), intermittent rating of 649° C (1200° F).

[Read More](#)

**SKU:** 353565

**Price:** \$24.99

**Categories:** [Ring](#)

### Product Description

---



## 12-10 Gauge Vinyl Insula 100

This series is the most available. The PVC is fastened to the butt with a flared entry for easy maximum, building and fixtures. Industrial wire range. Temperature

[Read More](#)

**SKU:** 453565

**Price:** \$22.11

Categories: [Ring](#)

## Product Description

---



## 12-10 Gauge Butt Connector Terminal, Bag Of 100

Vinyl-insulated butted seam butt connectors are terminals that are used to mate, connect, or terminate a single wire. The vinyl material acts as an economic insulation and the butted seam is the most common type of terminal barrel. Vinyl-insulated butt connectors are great for marine vehicles, and in other applications that utilize wire to transfer electrical current. This series is the most economical insulated terminal available. The PVC insulation sleeve is securely fastened to the butted seam barrel. The insulation has a flared entry for easier wire insertion. Industry standard color-coding indicates wire range. Rated 600 volts maximum, building wire; 1000 volts maximum, signs and fixtures. Temperature rating: 105° C (221° F).

[Read More](#)

**SKU:** 423005

**Price:** \$19.97

Categories: [Butt](#)

## Product Description

---



## 12-10 Gauge Closed End Connector Terminal, Bag of 100

Closed End connectors are ideal for making a simple connection of two or more wires to make a pigtail connection. These closed end connectors feature translucent nylon insulation and a tin-plated copper sleeve that is rated to be used in up to 300V and is RoHS compliant. Translucent nylon insulation. Tin-plated copper sleeve. Meets UL 94V-2 Flammability Classification. Rated for continuous operating temperature of 105°C (221°F).

[Read More](#)

**SKU:** 901225

**Price:** \$13.66

**Categories:** [Closed End](#)

### Product Description

---



## 12-10 Gauge Terminal, 100

Vinyl-insulated, flared spade connectors that are designed for use in applications while allowing for a secure electrical connection. The economic insulation on the spade terminal prevents the terminal from pulling out, providing a secure connection. These spade terminals are commonly used in electrical applications such as building wire; 1000

[Read More](#)

**SKU:** 40310

**Price:** \$27.34

**Categories:** [Spade](#)

## Product Description

---



## 12-10 Gauge Flanged Spade Terminal, 6 Stud, Bag Of 100

Vinyl-insulated, flanged spade terminals are connectors that are used to connect a single wire, while allowing for a connection to a screw or stud type electrical connection. The vinyl material acts as an economic insulation type, while the flanged shape of the spade terminal fastens onto the stud nut. This prevents the terminal from pull-out and creates a more secure connection. Because of this, insulated flanged spade terminals are commonly used in high vibration electrical applications. Rated to 600 volts maximum, building wire; 1000 volts maximum, 105° C.

[Read More](#)

**SKU:** 403065

**Price:** \$27.29

**Categories:** [Spade](#)

## Product Description

---

## 12-10 Gauge Flanged Spade Terminal, 8 Stud, Bag Of 100



Vinyl-insulated, flanged spade terminals are connectors that are used to connect a single wire, while allowing for a connection to a screw or stud type electrical connection. The vinyl material acts as an economic insulation type, while the flanged shape of the spade terminal fastens onto the stud nut. This prevents the terminal from pull-out and creates a more secure connection. Because of this, insulated flanged spade terminals are commonly used in high vibration electrical applications. Rated to 600 volts maximum, building wire; 1000 volts maximum, 105° C.

[Read More](#)

**SKU:** 403085

**Price:** \$26.53

**Categories:** [Spade](#)

### Product Description

---

## 12-10 Gauge Connector,



High temperature butt connector, mate, connect, or terminate high temperature butt connector applications where high temperature applications where high temperature applications where ideal for use in high temperature applications where ideal for use in high temperature applications where motors, ovens or other high temperature applications where ideal for use in high temperature applications where can melt. Constructed for high temperature applications where ideal for use in high temperature applications where continuous operating temperature applications where ideal for use in high temperature applications where intermittent rating applications where ideal for use in high temperature applications where

[Read More](#)

**SKU:** 323005**Price:** \$39.86**Categories:** [Butt](#)

## Product Description

---



## 12-10 Gauge High Temp Spade Terminal, 10 Stud, Bag Of 100

High temperature butt connectors are terminals that mate, connect, or terminate a single wire. High temperature butt connectors are ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. This series is ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. Constructed of steel plated nickel. Rated for continuous operating temperature of 482° C (900° F), intermittent rating of 649° C (1200° F).

[Read More](#)**SKU:** 363105**Price:** \$22.76**Categories:** [Spade](#)

## Product Description

---



## 12-10 Gauge Piggy Back, .250 Female Push-On Terminal, Bag Of 100

Push-on, piggy back terminals are female type connectors that mate with male push-on terminals, and have an additional male blade to connect a primary and secondary wire, all in one connection. Push-on, piggy back terminals are popular in auto and marine applications, but are also used in various other electrical applications. Most economical insulated terminal available. PVC insulation sleeve is securely fastened to butted seam barrel. Insulation has flared entry for easier wire insertion. Industry standard color-coding indicates wire range. Rated to 600 volts maximum, building wire; 1000 volts maximum, 105° C.

[Read More](#)

**SKU:** 400685

**Price:** \$23.78

**Categories:** [Piggy Back](#)

### Product Description

---



## 12-10 Gauge Stud, Bag Of 100

Most economical insulated terminal available. PVC insulation sleeve is securely fastened to butted seam barrel. Insulation has flared entry for easier wire insertion. Industry standard color-coding indicates wire range. Rated to 600 volts maximum, building wire; 1000 volts maximum, 105° C.

[Read More](#)

**SKU:** 46310

**Price:** \$21.78

Categories: [Spade](#)

## Product Description

---



### **12.3 Oetiker Style Stepless Clamp, 100 A Bag**

9.8-12.3 mm or 25/64-31/64 Fits BT-4 And BT-41 Tubing

[Read More](#)

**SKU:** 12.3-100

**Price:** \$19.20

Categories: [Oetiker Style Bag Of 100](#)

## Product Description

---