



Harness Assembly, Warmer, Replacement For Curtis Wc-13164, 3375000236

Fits Popular Models: ALP3GT63A800, ALP3GT12A000, ALP6GTN63A000

[Read More](#)

SKU: WC-13164

Price: \$15.19

Categories: [Wilbur Curtis](#)

Product Description

Haynes 500 High Temperature Lubricant, 14 Ounce Cartridge, 10 To A Box

Drop Ships From Factory. Haynes 500 Is Designed Specifically For The Food Processors With High Temperature/High Load Bearing Applications. This Lubricant Has Extreme Pressure Qualities And Boundary Friction Protection. Haynes 500 Has A High Drop Point (500 Degrees) Which Extends Your Lubrication Intervals And Extends The Lubricants Performance In Higher Temperature Applications. It Has An Excellent Resistance To Water Washout, Steam, Chemical Attack, And Other Contaminants. Compatible With Virtually All Elastomers. All Ingredients Are FDA Approved.

[Read More](#)

SKU: H500C

Price: \$128.32

Categories: [Lubricants](#)



Product Description



Haynes 500 Plus Lubricant, 4 Ounce Tube

Haynes 500 Plus has a high drop point (500 degrees) which extends your lubrication intervals and extends the lubricant's performance in higher temperature applications. This synthetic grease has an excellent resistance to water washout, steam, chemical attack, and other contaminants. Haynes 500 Plus is compatible with virtually all elastomers. This lubricant has excellent load carrying properties and is ideal in both low and high temperature applications. This lubricant is NSF rated H1 for incidental food contact, Kosher Certified, Halal Certified, and made from ingredients that are FDA approved.

[Read More](#)

SKU: HLP500

Price: \$10.94

Categories: [Lubricants](#)

Product Description



Haynes Lubri-Film Plus Lubricant, 1 Ounce Tube

This Lubricant Is Authorized By The NSF Rated H1 For Use In Food Processing Plants For Incidental Food Contact. All Ingredients Are FDA Approved. Haynes Lubri-Film Plus Is LDesigned For longer Lubrication Intervals, Eliminating Downtime To Relubricate The Equipment. This Lubricant Wears Evenly On All Moving Parts, Preventing Metal-To-Metal Contact And Equipment Damage. Haynes Lubri-Film Plus Will Not Dry Or Gum On Equipment, Is Highly Resistant To Separation Or Bleed And Is A Time Saver Because It Cleans Off Of Equipment Easily. Temp Range -15°F to 210°F

[Read More](#)

SKU: HLP1

Price: \$2.48

Categories: [Lubricants](#)

Product Description



Haynes Lubri-Film Plus Lubricant, 4 Ounce Tube

This Lubricant Is Authorized By The NSF Rated H1 For Use In Food Processing Plants For Incidental Food Contact. All Ingredients Are FDA Approved. Haynes Lubri-Film Plus Is LDesigned For longer Lubrication Intervals, Eliminating Downtime To Relubricate The Equipment. This Lubricant Wears Evenly On All Moving Parts, Preventing Metal-To-Metal Contact And Equipment Damage. Haynes Lubri-Film Plus Will Not Dry Or Gum On Equipment, Is Highly Resistant To Separation Or Bleed And Is A Time Saver Because It Cleans Off Of Equipment Easily. Temp Range -15°F to 210°F

210°F

[Read More](#)**SKU:** HLP**Price:** \$4.25**Categories:** [Lubricants](#)

Product Description



Haynes Sanitary Spray Lubricant 6-9 Oz To a Box

Drop Ships From Factory. Sold 6 cans to a box. This lubricant is authorized by the NSF Registered H1, 3H for use in food processing plants for incidental food contact. All ingredients are FDA approved. Haynes Spray, The U.S.P.* Light Duty Sanitary Spray can be used as an oil lubricant for food processing equipment. This sanitary oil can be used safely on drawer slides, doors, hinges, wheels, carts, or anywhere a light duty oil is needed in and around the food processing area. Haynes Spray contains no animal or vegetable fats and is absolutely neutral. It will not turn rancid, contaminate or taint food products. It is odorless, tasteless, colorless and non-toxic.

[Read More](#)**SKU:** HS**Price:** \$59.58**Categories:** [Lubricants](#)

Product Description



Haynes Silicone Spray Lubricant 11 Oz

This lubricant is authorized by NSF (rated H1) for use in food processing plants for incidental food contact. All ingredients are FDA approved. Haynes Silicone spray minimizes cleanup time and sticking problems on food packaging and processing equipment. This lubricant can be used as a release agent on plastic/rubber mold equipment. This versatile lubricant can be used as an anti-rust film on equipment. Haynes Silicone spray has one of the highest percentage of Silicone, to achieve the optimal effect on the food processing/packaging equipment.

[Read More](#)

SKU: HSS

Price: \$11.24

Categories: [Lubricants](#)

Product Description



Head, Bracket, Water Filter, Phosphate, Inches

For Lime, Scale, Tarnish, and Rust Removal. For Low To Moderate Hardness Water. Works in Water Softening Machines. Comes With A Head, Bracket, and Filter. Head. Fits EH Head. 13,000 Gallons. [Read More](#)

SKU: ELF100

Price: \$69.80

Categories: [Cartridges](#)

Product Description



Head, Bracket And Cartridge, Water Filters Softening 10 Micron, 3 x 15 Inches

Water Softening And Sediment Protection Only, Uxc-8sf Resin, 2000 Grains Of Softness. Comes With Bracket And Screws, 3/8 Fpt Head. For Use With Espresso Machines With High Volume. Life, Depends On Hardness And Volume Of Water.

[Read More](#)**SKU:** ELF15C-249**Price:** \$52.42**Categories:** [Cartridges](#)

Product Description



Heating Element Only, 120V, 1650W, Replacement for Grindmaster #320-00007

Fits Models BREW10, BREW11, BREW20, BREW21, GNB-10H, GNB-11H, GNB-20H, GNB-21H, PIC 4, PIC 5

[Read More](#)**SKU:** 320-00007**Price:** \$53.16**Categories:** [Grindmaster](#)

Product Description



Heating Element, 120V 1.45KW, Replacement For Curtis, WC-917-04, 3375002564

Fits popular Alpha G3, Cafe Pourover, D60GT models and more.

[Read More](#)

SKU: WC-917-04

Price: \$26.30

Categories: [Wilbur Curtis](#)

Product Description



Heating Element, 120V 1.6KW, Replacement For Curtis, WC-904-04, 3375002563

Fits popular Combo Brewer, Cafe Series, Ice Tea Brewing models and more.

[Read More](#)

SKU: WC-904-04

Price: \$26.30

Categories: [Wilbur Curtis](#)

Product Description