



Pentek 20 Inch Slim Line Empty Filters Housing With 1/2 Fpt

Fits all 2 1/2 x 20" Cartridges

[Read More](#)

SKU: HF-20BL

Price: \$48.76

Categories: [Housings](#)

Product Description



Pentek 20 Inch Slim Line Triple Empty Filters Assembly With 1/2 Fpt

Fits all 2 1/2 x 20" Cartridges

[Read More](#)

SKU: HF-203

Price: \$130.86

Categories: [Housings](#)

Product Description



Pentek O-Ring For Big Blue Filters Housing

Fits Housings HF-40BL, HF-402 And HF-403

[Read More](#)

SKU: 151122

Price: \$9.36

Categories: [Housings](#)

Product Description



Pentek O-Ring For Filters Housing

Fits Housings, HF-10BL, HF-20BL, HF-102, HF-103, HF-202, HF-203

[Read More](#)

SKU: 151121

Price: \$3.25

Categories: [Housings](#)

Product Description

Peristaltic Pump Tubing, 1/4 x 1/2 x 50 Foot



Item Must be ordered

[Read More](#)

SKU: 0024-074

Price: \$234.20

Categories: [Beverage](#)

Product Description



Permatex Thread Sealant With PTFE Teflon, 1oz White

Fitting sealant that seals and resists pressure in air, oil, diesel fuel and hydraulic systems, and water.

Outperforming tapes and pipe dopes. With a temperature range of -65°F to 300°F. It remains pliable at higher and lower temperatures and also resists common shop fluids. Suggested Applications: Air conditioning fittings, temperature sending fittings, hydraulic fittings.

[Read More](#)

SKU: 441007-1

Price: \$5.98

Categories: [Tape](#)

Product Description



Permatex Thread Sealant With PTFE Teflon, 1oz White

Fitting sealant that seals and resists pressure in air, oil, diesel fuel and hydraulic systems, and water. Outperforming tapes and pipe dopes. With a temperature range of -65°F to 300°F. It remains pliable at higher and lower temperatures and also resists common shop fluids. Suggested Applications: Air conditioning fittings, temperature sending fittings, hydraulic fittings.

[Read More](#)

SKU: 441007

Price: \$5.98

Categories: [Sealants](#)

Product Description

Pex Straight Stop, 1/4 Turn, Lead Free, 1/2 Pex x 3/8 Compression

This stop features a solid brass construction, a chrome-plated finish, and a celcon stem. All of its features comply with state lead-free requirements.

[Read More](#)

SKU: PexStop

Price: \$5.51

Categories: [Plumbing](#)

Product Description





Ph And Total Alkalinity Water Test Strips, 50 Strips To A Bottle

pH & Total Alkalinity test is a single test strip that has been designed with two separate test pads: one for pH and the other for Total Alkalinity measurements. This test is an alternative to wet chemical tests since it gives reproducible results for each test separately. Test range is from 6.0 to 9.0 for pH and 0-360 ppm (mg/L) for total alkalinity. pH: 6.0, 6.5, 7.0, 7.5, 8.0, 8.5, 9.0, TA: 0, 80, 120, 180, 240, 360 ppm

[Read More](#)

SKU: PH-ALKALINITY

Price: \$13.71

Categories: [Test](#)

Product Description



Pillar Mounting Plate, Replacement For Cecilware, CD66AL

Fits Models GB1CP, GB1HC-CP, GB1HC-CP-PC, GB1M-IT, GB1P, GB1SKI -LD, GB2 Super SKI, GB2 Super SKI-BL-LD, GB2-LP-LD, GB2-SKI -LD, GB2CP, GB2HC-CP, GB2HC-CP-PC, GB2M-5.5-LD, GB2M5.5-IT, GB2P, GB3-LP-LD, GB3CP, GB3M-10-IT, GB3M-5.5-IT, GB3M-5.5-LD, GB3P, GB4-LP-LD, GB4M-5.5-LD, GB4M-IT, GB5M-5.5-LD, GB5M-IT, GB5MF-HC-IT-LD, GB5MF-IT, GB5MF-IT-LD, GB5MV-10-LD, GB6MP-10-LD-U, GB8MP-10-LD-U, GBK, GBLP, GBM, GBSKI, GBSuperSKI, JAVA2-LP

[Read More](#)

SKU: CD66AL

Price: \$0.58

Categories: [Cecilware](#)

Product Description

Pillar Mounting Plate



Pillar Mounting Plate, Replacement For Wilbur Curtis, CA-1024-05, 3375000678

Fits Models CAFE PC1, CAFE PC2, CAFE PC3, CAFE PC4, CLC, CLCA, EXPR, HC-1D, PC-1D, PC-2D, PC-3D, PC-3GT, PC-4D, PC-4GT, PC-5GT, PCGT3, PCGT4, PCGT5

[Read More](#)

SKU: CA-1024-05

Price: \$1.24

Categories: [Wilbur Curtis](#)

Product Description

Pillar Mounting Plate



Plastic Faucet Upper Assy, Replacement For Bloomfield, 8600-15, Star ,WS-8600-15

Fits Model #8600-15 Faucet

[Read More](#)

SKU: WS-8600-15-Upper

Price: \$7.18

Categories: [Bloomfield](#)

Product Description

Plastic Faucet Upper Assy
