



## Haynes Silicone Spray Lubricant 11 Oz

This lubricant is authorized by NSF (rated H1) for use in food processing plants for incidental food contact. All ingredients are FDA approved. Haynes Silicone spray minimizes cleanup time and sticking problems on food packaging and processing equipment. This lubricant can be used as a release agent on plastic/rubber mold equipment. This versatile lubricant can be used as an anti-rust film on equipment. Haynes Silicone spray has one of the highest percentage of Silicone, to achieve the optimal effect on the food processing/packaging equipment.

[Read More](#)

**SKU:** HSS

**Price:** \$12.38

**Categories:** [Lubricants](#)

### Product Description

---



## Full Port Full Free 3/4 x 3

Working Pressure 6  
To 302°F. • Suitable  
Minimal pressure dr  
Bottom loaded, pre  
(non-shock) and 15  
steam. Virgin PT±E  
and seats. White vi  
carbon steel handle

[Read More](#)

**SKU:** WBV1

**Price:** \$12.49

**Categories:** [Valves](#)

## Product Description

---

### Water Softener Riser With Screen, 13/16 x 18 Inches

For Use With All WS Softener Models, Riser Can Be Cut To Size To Fit Softeners.

[Read More](#)

**SKU:** RISER

**Price:** \$15.70

**Categories:** [Softeners](#)



## Product Description

---

### Dump Valve Kit Use On WC-816, WC-817, WC- 818, WC-866, WC-889, Replacement For WC-3763-101, 32375000908

Fits Models ALP1GT, ALP2GT, ALP2GTW, ALP3GT, ALP3GTL, ALP3GTR, ALP4GT, ALP5GT, ALP5GTL, ALP5GTR, ALP6GT, ALP6GTN, ALPHA-3GT, CBP, CBS, D1000GT, D500GT, D60GT, D60GT61A412, GEM-120A

[Read More](#)

**SKU:** WC-3763-101

**Price:** \$18.68

**Categories:** [Wilbur Curtis](#)



## Product Description

Dump Valve Repair Kit, For Wc816, 817, 818, 866, 889

---



## Omnipure Filters Head, 3/8 Fpt

Fits ELF And ELFXL Series Cartridges

[Read More](#)

**SKU:** EH

**Price:** \$12.91

**Categories:** [Cartridges](#)

## Product Description



## 22-18 Gauge #6 Stud Ring, Vinyl Insulated Terminal, Bag of 100

This series is the most economical insulated terminal available. The PVC insulation sleeve is securely fastened to the butted seam barrel. The insulation has a flared entry for easier wire insertion. Rated 600 volts maximum, building wire; 1000 volts maximum, signs and fixtures. Industry standard color-coding indicates wire range. Temperature rating: 105° C (22

[Read More](#)

**SKU:** 451065

**Price:** \$12.59

**Categories:** [Ring](#)

## Product Description

---



## 22-18 Gauge #10 Stud Ring, Vinyl Insulated Terminal, Bag of 100

This series is the most economical insulated terminal available. The PVC insulation sleeve is securely fastened to the butted seam barrel. The insulation has a flared entry for easier wire insertion. Rated 600 volts maximum, building wire; 1000 volts maximum, signs and fixtures. Industry standard color-coding indicates wire range. Temperature rating: 105° C (22

[Read More](#)

**SKU:** 451105

**Price:** \$16.47

**Categories:** [Ring](#)

### Product Description

---



## 22-18 Gauge #4 Stud Ring, Vinyl Insulated Terminal, Bag of 100

This series is the most economical insulated terminal available. The PVC insulation sleeve is securely fastened to the butted seam barrel. The insulation has a flared entry for easier wire insertion. Rated 600 volts maximum, building wire; 1000 volts maximum, signs and fixtures. Industry standard color-coding indicates wire range. Temperature rating: 105° C (22

[Read More](#)

**SKU:** 451045

**Price:** \$12.61

**Categories:** [Ring](#)

### Product Description

---



## Multi Tubing Cutter Blades, Pack Of 2

High Grade Carbon Steel Replacement Blades For The 10010 Multi Cutter.

[Read More](#)

**SKU:** 10011

**Price:** \$12.66

**Categories:** [Beverage](#)

### Product Description

---



## Leviton Flush Mount Locking Receptacle, L6-30R 30A/250V, 2 Pole 3 Wire

Leviton's Industrial Grade Locking Devices are built to provide unparalleled quality and superior performance in the most severe industrial settings. Leviton combines the best materials available with superior production standards to produce a broad selection of Locking Devices of unmatched flexibility and dependability. 30 Amp, 250 Volt, Flush Mounting Locking Receptacle, Industrial Grade, Grounding

[Read More](#)

**SKU:** 2620

**Price:** \$19.76

**Categories:** [Locking](#)

### Product Description

---

## Water Regulator And Hammer Arrestor, 60 Psi With 3/8 Push Connect Fitting, 4 Gpm



Non Stock Item Must Be Ordered. Protect water filtration devices by limiting water pressure and reducing water hammer. They are designed for high pressure installations to protect Reverse Osmosis systems, water filters, ice makers, coffee machines, chillers, hot tanks and water coolers. Nsf 61 Approved  
[Read More](#)

**SKU:** SHOKBLOK6038

**Price:** \$16.44

**Categories:** [Regulator](#)

### Product Description

---

## 16-14 Gauge On Terminal



Vinyl-insulated push-on blade type connector. Connect or disconnect material is an economical terminal and wire connector. Terminals are common in vehicles, but can be used in many applications as well. The insulated terminal is securely fastened. The insulation has a flame-retardant industry standard. Rated 600 volts maximum, signs and 105° C (221° F).

[Read More](#)

**SKU:** 492705

**Price:** \$15.92

**Categories:** [Push On](#)

## Product Description

---