

## Reversible Pocket Screwdriver

#2 Phillips And 9/32 Slotted

[Read More](#)

**SKU:** SCD27

**Price:** \$3.93

**Categories:** [Hand](#)



### Product Description

---

## Ridgid Midget Tubing Cutter, Cuts 3/16 To 15/16 Inches

3/4 Inch Close Quarters Tubing Cutter, Lifetime Warranty

[Read More](#)

**SKU:** 813105

**Price:** \$23.98

**Categories:** [Hand](#)



### Product Description

---



## Ridgid Tubing Cutter, Cuts 1/8 To 1 1/8 Inches

Enclosed feed screw to eliminate clogging and jamming Grooved rolls for close-to-flare cuts and a fold-away reamer Strong zinc frame, Spare cutter wheel in handle, Cuts copper, brass and aluminum tubing and thin wall conduit. Pipe capacity 1/8"—1-1/8"

[Read More](#)

**SKU:** 813135

**Price:** \$34.71

**Categories:** [Hand](#)

### Product Description

---



## Ro Faucet Chrome, Lead Free, With 1/4 Compression All Thread And Installation Kit

[Read More](#)

**SKU:** FAUCET

**Price:** \$24.13

**Categories:** [Faucet](#)

### Product Description

---



## Romex Clamp Connector, 1 1/4 Inch

Non Stock, Item Must Be Ordered, Twin Screw, For Indoor Use Only, Use In Dry Location To Connect Non-Metallic Cable

[Read More](#)

**SKU:** ERC-18

**Price:** \$2.67

**Categories:** [Fittings](#)

### Product Description

---



## Romex Clamp Connector, 1 Inch

Non Stock, Item Must Be Ordered, Twin Screw, For Indoor Use Only, Use In Dry Location To Connect Non-Metallic Cable

[Read More](#)

**SKU:** ERC-16

**Price:** \$2.49

**Categories:** [Fittings](#)

### Product Description

---



## Romex Clamp Connector, 3/4 Inch

Twin Screw, For Indoor Use Only, Use In Dry Location To Connect Non-Metallic Cable

[Read More](#)

**SKU:** ERC-12

**Price:** \$2.25

**Categories:** [Fittings](#)

### Product Description

---



## Romex Clamp Connector, 3/8 Inch

Twin Screw, For Indoor Use Only, Use In Dry Location To Connect Non-Metallic Cable

[Read More](#)

**SKU:** ERC-6

**Price:** \$0.77

**Categories:** [Fittings](#)

### Product Description

---



## Rotating Magnetic Work Led Light, 3 3/4 Inch Abs Housing With High Intensity LED Light. 250 Lumens

Head rotates to adjust beam to needed angle. Strong magnetic base attaches to any metal surface in seconds. Bridges a work light with a high quality flashlight. Uses three AA batteries not included.

[Read More](#)

**SKU:** RMWL

**Price:** \$24.46

**Categories:** [Hand](#)

### Product Description

---



## Round Black Cord With Molded Plug, 14-3 15 Amps 125 Volts, 6 Foot

[Read More](#)

**SKU:** 09716

**Price:** \$7.89

**Categories:** [Cord](#)

### Product Description

---



## Rubber Foot 1 Inch x 1/4-20 Thread, Replacement For Star #2A-Z11501

Fits Models CG10, CG10I, CG10IB, CG10IT, CG10IT2, CG10ITJD, CG10ITSB, CG10T, CG10TJD, CG14, CG14-2T, CG142TB, CG14B, CG14DTB, CG14E, CG14GTB, CG14I, CG14IB, CG14IE, CG14IEGT, CG14IGT, CG14IGTB, CG14IT, CG14ITB, CG14ITGT, CG14ITGTB, CG14ITLB, CG14ITSC, CG14SPTE, CG14SPTK, CG14SPTS, CG14T, CG14TB, GR10, GR10I, GR10IT, GR10T, GR14, GR14-2T-120C, GR14B, GR14E, GR14I, GR14IB, GR14IE, GR14IT, GR14ITB, GR14SN, GR14SNB, GR14SPT, GR14SPT-240V, GR14SPTA-UK, GR14SPTK-240V, GR14SPTK-CE, GR14SPTK-TAI, GR14SPTK-UK, GR14SPTKG-CE, GR14SPTKG240, GR14T, GR14TB, PSC14D, Q3-95ARB, TG14-AG, TG14-AS, TVD30, TVD50, VBE30, VBG30, X30, X30F, X30S, X30SF, X30SG, X30SGF, X45, X45F, X45S, X45SF, X45SG, X45SGF, X50, X50F, X50S, X50SF, X50SG, X50SGF, X75, X75F, X75S, X75SF, X75SG, X75SGF

[Read More](#)

**SKU:** 2A-Z11501

**Price:** \$3.40

**Categories:** [Star](#)

### Product Description

Rubber Foot 1", 1/4-20 Thread

---

## Santoprene Valve Stem

Fits Models, 12B, 14B, POST-MIX 10B, S2.5, SII, WBM-10080, WBM-10170, WBM-10260, WBM-10350, WBM-10440, WBM-10530, WBM-10620, WBM-10710, WBM-10800, WBM-110-2.5, WBM-12280, WBM-12370, WBM-12460, WBM-12550, WBM-12640, WBM-12640FR, WBM-12730, WBM-12820, WBM-14480, WBM-14570, WBM-14660, WBM-14750, WBM-14840, WBM-220-2.5, WBM-440-2.5, WBM-851, WBM-860

[Read More](#)

**SKU:** PH10-89

**Price:** \$3.00

**Categories:** [Parts](#)

### Product Description

---