



16-14 Gauge .250 Female Push On Fully Insulated Terminal, Bag of 100

The Nylon insulation sleeve is molded onto the barrel. Transparent nylon allows for easy inspection of connection and is resistant to deformation. The insulation has a flared entry for easier wire insertion. Industry standard color-coding indicates wire range. Rated 600 volts maximum, building wire; 1000 volts maximum, signs and fixtures. Temperature rating: 105° C (221° F).

[Read More](#)

SKU: 894005

Price: \$15.67

Categories: Push On

Product Description



Twist-Lock

20P 20A/25

Super tough nylon for impact, abrasion and letters on back cover termination. Wiring assembly. Solid brass securely in place. NF certifications and device to assist with terminal screws

[Read More](#)

SKU: 2321

Price: \$12.6

Categories: [Locking](#)

Product Description



Dryer Cord 4 Wire, 125/250 Volts, 30 Amps 300 Volts, 6 Foot, 12 A Box

Non Stock, Item Must Be Ordered, Heavy-Duty Dryer Power Cord 4 Prong, covered with a thick jacket that protects the power cord from abrasion, chemicals, moisture and cracking, this dryer power cord offers you long-lasting durability.

[Read More](#)

SKU: A-5434-005-BL

Price: \$261.36

Categories: [Cord](#)

Product Description



Connector, Nema 5-15R 15A/125V, 2 Pole 3 Wire, UL Listed

Super tough nylon body resists damage from severe impact, abrasion and chemicals

[Read More](#)

SKU: ELE230

Price: \$7.35

Categories: [Non Locking](#)

Product Description

Range Cord 4 Wire 50 Amps 300 Volts, 6 Foot, 12 A Box



Non Stock, Item Must Be Ordered

[Read More](#)

SKU: A-5436-005-BL

Price: \$389.52

Categories: [Cord](#)

Product Description

Twist-Lock Electrical Plug, L15-30P 30A/250V 3 Pole 4 Wire



Super tough nylon body resists damage from severe impact, abrasion and chemicals, Equivalent To 2721


[Read More](#)

SKU: ELE214

Price: \$16.74

Categories: [Locking](#)

Product Description



Universal Angle Plug, 14-30P And 14-50P, 30A/50A 125/250V, 3 Pole 4 Wire

Solid brass blades for maximum conductivity, ideal for residential, commercial and institutional applications like dryers, rangers, stoves, and some of the most well known electric vehicle cars, check your vehicles for the exact NEMA needed. The preferred choice of electricians and contractors.

[Read More](#)

SKU: E-21

Price: \$19.96

Categories: [Non Locking](#)

Product Description



Flush Mount Locking Receptacle, L14-30R 30A 125/250V, 3 Pole 4 Wire

Industrial Grade Locking Devices are built to provide unparalleled quality and superior performance in the most severe industrial settings. Combines the best materials available with superior production standards to produce a broad selection of Locking Devices of unmatched flexibility and dependability. 30 Amp, 125/250 Volt, Flush Mounting Locking Receptacle, Industrial Grade, Grounding

[Read More](#)

SKU: 2710

Price: \$13.42

Categories: [Locking](#)

Product Description



Leviton Angle Plug, 5-15P
15A/125V, 2 Pole 3 Wire

Body Material: PVC Blades/Contacts: Brass Assembly
Screws: Steel, Zinc Plated, Color: White

[Read More](#)

SKU: E5266
Price: \$8.43
Categories: [Non Locking](#)

Product Description



Universal Lamp Starter 4-30
Watts

[Read More](#)

SKU: FSU
Price: \$2.19
Categories: [Bulbs](#)

Product Description



Terminal Kit 300 Pieces 600 Volt Rated

22-18, 16-14, 12-10 Gauge Terminals. Butt Splicers, Ring, Spade .250 Push On Quick Connects Female And Male

[Read More](#)

SKU: 822186

Price: \$21.05

Categories: [Kits](#)

Product Description

16-14 Gauge Piggy Back, .250 Female Push-On Terminal, Bag Of 100



Push-on, piggy back terminals are female type connectors that mate with male push-on terminals, and have an additional male blade to connect a primary and secondary wire, all in one connection. Push-on, piggy back terminals are popular in auto and marine applications, but are also used in various other electrical applications. Most economical insulated terminal available. PVC insulation sleeve is securely fastened to butted seam barrel. Insulation has flared entry for easier wire insertion. Industry standard color-coding indicates wire range. Rated to 600 volts maximum, building wire; 1000 volts maximum, 105° C.

[Read More](#)

SKU: 400675

Price: \$19.11

Categories: [Piggy Back](#)

Product Description
