

# 12-10 Gauge #10 Stud Ring, High Temp Terminal, Bag of 100

High temperature butt connectors are terminals that mate, connect, or terminate a single wire. High temperature butt connectors are ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. This series is ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. Constructed of steel plated nickel. Rated for continuous operating temperature of 482° C (900° F), intermittent rating of 649° C (1200° F).

#### Read More

**SKU:** 353105 **Price:** \$23.74

**Categories: Ring** 

### **Product Description**



## 12-10 Gaug Temp Term

High temperature be mate, connect, or to temperature butt contemperature applications where ideal for use in high motors, ovens or ot can melt. Construct continuous operation intermittent rating of Read More

**SKU:** 353065

**Price:** \$24.40

**Categories:** Ring

### **Product Description**



# 12-10 Gauge #8 Stud Ring, High Temp Terminal, Bag of 100

High temperature butt connectors are terminals that mate, connect, or terminate a single wire. High temperature butt connectors are ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. This series is ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. Constructed of steel plated nickel. Rated for continuous operating temperature of 482° C (900° F), intermittent rating of 649° C (1200° F).

#### Read More

**SKU:** 383085

**Price:** \$22.39

**Categories:** Ring



# 12-10 Gauge 1/4 Stud Ring, High Temp Terminal, Bag of 100

High temperature butt connectors are terminals that mate, connect, or terminate a single wire. High temperature butt connectors are ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. This series is ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. Constructed of steel plated nickel. Rated for continuous operating temperature of 482° C (900° F), intermittent rating of 649° C (1200° F).

**Read More** 

**SKU:** 353145

**Price:** \$25.52

**Categories:** Ring

### **Product Description**



## 12-10 Gaug Temp Term

High temperature be mate, connect, or to temperature butt contemperature applications where ideal for use in high motors, ovens or ot can melt. Construct continuous operations intermittent rating of the motors and the motors of the motors o

Read More

**SKU:** 35338

**Price:** \$27.57

**Categories: Ring** 

#### **Product Description**



## 12-10 Gauge 5/16 Stud Ring, High Temp Terminal, Bag of 100

High temperature butt connectors are terminals that mate, connect, or terminate a single wire. High temperature butt connectors are ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. This series is ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. Constructed of steel plated nickel. Rated for continuous operating temperature of 482° C (900° F), intermittent rating of 649° C (1200° F).

#### Read More

**SKU:** 353565

**Price:** \$24.99

**Categories:** Ring



# 12-10 Gauge Flanged Spade Terminal, 8 Stud, Bag Of 100

Vinyl-insulated, flanged spade terminals are connectors that are used to connect a single wire, while allowing for a connection to a screw or stud type electrical connection. The vinyl material acts as an economic insulation type, while the flanged shape of the spade terminal fastens onto the stud nut. This prevents the terminal from pull-out and creates a more secure connection. Because of this, insulated flanged spade terminals are commonly used in high vibration electrical applications. Rated to 600 volts maximum, building wire; 1000 volts maximum, 105° C.

**Read More** 

**SKU:** 403085

**Price:** \$26.53

Categories: Spade

### **Product Description**



# 12-10 Gaug Connector,

High temperature be mate, connect, or to temperature butt contemperature applications where ideal for use in high motors, ovens or ot can melt. Construct continuous operation intermittent rating of Read More

**SKU:** 323005

**Price:** \$39.86

**Categories:** Butt

### **Product Description**



# 12-10 Gauge High Temp Spade Terminal, 10 Stud, Bag Of 100

High temperature butt connectors are terminals that mate, connect, or terminate a single wire. High temperature butt connectors are ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. This series is ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. Constructed of steel plated nickel. Rated for continuous operating temperature of 482° C (900° F), intermittent rating of 649° C (1200° F).

#### Read More

**SKU:** 363105

**Price:** \$22.76

**Categories:** Spade



# 16-14 Gauge #10 Stud Ring,High Temp Terminal, Bag of 100

High temperature butt connectors are terminals that mate, connect, or terminate a single wire. High temperature butt connectors are ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. This series is ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. Constructed of steel plated nickel. Rated for continuous operating temperature of 482° C (900° F), intermittent rating of 649° C (1200° F).

#### Read More

**SKU:** 352105

**Price:** \$23.37

**Categories:** Ring

#### **Product Description**



# 16-14 Gaug Temp Term

High temperature is mate, connect, or to temperature buttoo temperature applications where ideal for use in high motors, ovens or ot can melt. Construct continuous operation intermittent rating

Read More

**SKU:** 35206

**Price:** \$23.06

**Categories: Ring** 

#### **Product Description**



# 16-14 Gauge #8 Stud Ring, High Temp Terminal, Bag of 100

High temperature butt connectors are terminals that mate, connect, or terminate a single wire. High temperature butt connectors are ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. This series is ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. Constructed of steel plated nickel. Rated for continuous operating temperature of 482° C (900° F), intermittent rating of 649° C (1200° F).

#### Read More

**SKU:** 382085

**Price:** \$21.73

**Categories:** Ring