



12-10 Gauge Flanged Spade Terminal, 8 Stud, Bag Of 100

Vinyl-insulated, flanged spade terminals are connectors that are used to connect a single wire, while allowing for a connection to a screw or stud type electrical connection. The vinyl material acts as an economic insulation type, while the flanged shape of the spade terminal fastens onto the stud nut. This prevents the terminal from pull-out and creates a more secure connection. Because of this, insulated flanged spade terminals are commonly used in high vibration electrical applications. Rated to 600 volts maximum, building wire; 1000 volts maximum, 105° C.

[Read More](#)

SKU: 403085

Price: \$26.53

Categories: [Spade](#)

Product Description



12-10 Gauge High Temperature Flanged Spade Terminal, 10 Stud, Bag Of 100

High temperature butt connectors are used to mate, connect, or terminate wires in high temperature butt connections. They are used in high temperature applications where standard terminals are not ideal for use in high temperature environments such as motors, ovens or other high temperature applications that can melt. Constructed for continuous operating temperatures and intermittent rating.

[Read More](#)

SKU: 363105**Price:** \$22.76**Categories:** [Spade](#)

Product Description

16-14 Gauge High Temp Spade Terminal, 10 Stud, Bag Of 100



High temperature butt connectors are terminals that mate, connect, or terminate a single wire. High temperature butt connectors are ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. This series is ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. Constructed of steel plated nickel. Rated for continuous operating temperature of 482° C (900° F), intermittent rating of 649° C (1200° F).

[Read More](#)**SKU:** 362105**Price:** \$19.68**Categories:** [Spade](#)

Product Description

22-18 Gauge High Temp Spade Terminal, 10 Stud, Bag Of 100



High temperature butt connectors are terminals that mate, connect, or terminate a single wire. High temperature butt connectors are ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. This series is ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. Constructed of steel plated nickel. Rated for continuous operating temperature of 482° C (900° F), intermittent rating of 649° C (1200° F).

[Read More](#)

SKU: 361105

Price: \$19.68

Categories: [Spade](#)

Product Description
