

Vinyl Drain Tubing, Fda Approved, 3/8 x 9/16 x 100 Foot



Clear Dispenser pack, For chemicals, water lines, venting, drinking water, refrigeration and more. FDA approved, useful wherever conveyor-type tubing is required. For transmission of liquids or gases, vinyl tubing permits observation. Lightweight, but tough. Fits most self-service dispensers. Temperature range -20°F to 180°F

[Read More](#)

SKU: 512.073

Price: \$70.07

Categories: [Drain](#)

Product Description

Co2 Changeover Valve, 1/4 Male Flare



Economy Low Pressure Changeover Valve Switch cylinders without service interruption. Low cost alternative to high pressure and auto changeovers. Has 1/4" male flare back check inlets and 1/4" male flare outlet. Requires 2 CO2 regulators.

[Read More](#)

SKU: 1421

Price: \$27.70

Categories: [Bib Accessories](#)

Product Description



Vinyl Drain Tubing, Fda Approved, 3/16 x 5/16 x 100 Foot

Clear Dispenser pack, For chemicals, water lines, venting, drinking water, refrigeration and more. FDA approved, useful wherever conveyor-type tubing is required. For transmission of liquids or gases, vinyl tubing permits observation. Lightweight, but tough. Fits most self-service dispensers. Temperature range -20°F to 180°F

[Read More](#)

SKU: 512.071

Price: \$36.78

Categories: [Drain](#)

Product Description



Pentek 20 I Housings E Assembly W 1 Inch Fpt,

Item Must Be Order
Filtration System m
high capacity syste
residential, comme
applications. This h
to meet all of your l
sized to handle the
even in areas where
water and/or a heav
internal port allows
through the cap wit

pressure release button in the cap makes it easier to loosen the sumps when it's time to replace the filter. Max Pressure 90 Psi, Max Temp 100°F, Flow Rate 40 Gpm

[Read More](#)

SKU: HF-403

Price: \$264.12

Categories: [Housings](#)

Product Description



12 Gauge Black Rvi Wire 100 Foot Roll

Non Stock, Item Must Be Ordered. 12 gauge RVI hook-up wire is ideal for machine tools, control cabinets, automotive and marine applications. The thermoplastic insulation is moisture resistant and provides extra protection against nicks and cuts. UL style 1015/1230, 105°C, rated for 600 volts. Manufactured to meet or exceed the specifications of the RVI, NFDA, ANSI and J1128. CSA file no. 22035, UL file no. E51293. Specifications printed on wire. Use in internal wiring where exposure to temperatures does not exceed 221°F or where exposure to oil at temperatures not exceeding 140°F. CSA type TEW FT1.

[Read More](#)

SKU: 29121-05

Price: \$60.99

Categories: [12 Gauge](#)

Product Description



Wire Nuts 22-16 Gray, Box Of 100

Fan Wire Nut, The industry standard twist-on connector with top quality, performance and durability. Color-coded for easy size selection. Tight, square-wire spring makes quick, secure connections for positive continuity. Tough, thermoplastic shell shields against environmental extremes. Resists chemical action from hydrocarbons, diluted acid or alkaline solutions. Flame-retardant properties resist heat distortion up to 105 °C (221 °F). High-dielectric shell features deep skirt design to prevent exposure of bare wire. Copper-to-copper connections only. Connection rated at 600 V Max. for building wiring and rated at 1,000 V Max. in lighting fixtures/luminaries and signs

[Read More](#)

SKU: EWN11

Price: \$8.26

Categories: [Wire Nuts](#)

Product Description

Vinyl Drain Approved, 3



Item Is Non Stock A
Dispenser pack, For
drinking water, refr
useful wherever cor
transmission of liqu
observation Lightw
service dispensers.

[Read More](#)

SKU: 512.0

Price: \$28.68**Categories:** [Drain](#)

Product Description



22-18 Gauge .110 Male Push On Terminal, Bag Of 100

Vinyl-insulated push-on terminals are female and male blade type connectors that mate with each other to connect or disconnect a wired connection. The vinyl material is an economic insulation that seals the terminal and wire connection. Vinyl-insulated push-on terminals are commonly used in auto and marine vehicles, but can be used in various other electrical applications as well. This series is the most economical insulated terminal available. The PVC insulation sleeve is securely fastened to the butted seam barrel. The insulation has a flared entry for easier wire insertion. Industry standard color-coding indicates wire range. Rated 600 volts maximum, building wire; 1000 volts maximum, signs and fixtures. Temperature rating: 105° C (221° F).

[Read More](#)**SKU:** 431185**Price:** \$14.00**Categories:** [Push On](#)

Product Description



12-10 Gauge Flanged Spade Terminal, 8 Stud, Bag Of 100

Vinyl-insulated, flanged spade terminals are connectors that are used to connect a single wire, while allowing for a connection to a screw or stud type electrical connection. The vinyl material acts as an economic insulation type, while the flanged shape of the spade terminal fastens onto the stud nut. This prevents the terminal from pull-out and creates a more secure connection. Because of this, insulated flanged spade terminals are commonly used in high vibration electrical applications. Rated to 600 volts maximum, building wire; 1000 volts maximum, 105° C.

[Read More](#)

SKU: 403085

Price: \$26.53

Categories: [Spade](#)

Product Description



12-10 Gauge Flanged Spade Terminal, 6 Stud, Bag Of 100

Vinyl-insulated, flanged spade terminals are connectors that are used to connect a single wire, while allowing for a connection to a screw or stud type electrical connection. The vinyl material acts as an economic insulation type, while the flanged shape of the spade terminal fastens onto the stud nut. This prevents the terminal from pull-out and creates a more secure connection. Because of this, insulated flanged spade terminals are commonly used in high vibration electrical applications. Rated to 600 volts maximum, building wire; 1000 volts maximum, 105° C.

[Read More](#)

SKU: 403065**Price:** \$27.29**Categories:** [Spade](#)

Product Description



16-14 Gauge High Temp Spade Terminal, 10 Stud, Bag Of 100

High temperature butt connectors are terminals that mate, connect, or terminate a single wire. High temperature butt connectors are ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. This series is ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. Constructed of steel plated nickel. Rated for continuous operating temperature of 482° C (900° F), intermittent rating of 649° C (1200° F).

[Read More](#)**SKU:** 362105**Price:** \$19.68**Categories:** [Spade](#)

Product Description



12-10 Gauge #10 Stud Ring, High Temp Terminal, Bag of 100

High temperature butt connectors are terminals that mate, connect, or terminate a single wire. High temperature butt connectors are ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. This series is ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. Constructed of steel plated nickel. Rated for continuous operating temperature of 482° C (900° F), intermittent rating of 649° C (1200° F).

[Read More](#)

SKU: 353105

Price: \$23.74

Categories: [Ring](#)

Product Description
