



Bevlex Beverage Tubing 1/4 Id x .457 Od x 100 Foot Roll

Uses 12.3 Oetiker, Working pressure At 70°F Is 250 Psi. Proprietary core tube construction — provides low odor and taste, excellent stress crack resistance and exceptional flexibility makes fitting installation easier. Food-grade materials Bev-Flex ® Series 172 beverage hose is NSF-51/61 certified. Polyethylene material complies with FDA Regulation 21 CFR 177.1520, Polyester reinforcement provides pressure performance and kink-resistance exceeding that of simple tubing. Smooth EVA (ethylene vinyl acetate) cover provides increased flexibility.

[Read More](#)

SKU: BT-41

Price: \$39.86

Categories: [Beverage](#)

Product Description



Bevlex Beverage Tubing 1/2 Id x .593 Od x 100 Foot Roll

Uses 15.7 Oetiker C, Working pressure At 70°F Is 200 Psi. Proprietary core tube construction — provides low odor and taste, excellent stress crack resistance and exceptional flexibility makes fitting installation easier. Food-grade materials Bev-Flex ® Series 172 beverage hose is NSF-51/61 certified. Polyethylene material complies with FDA Regulation 21 CFR 177.1520, Polyester reinforcement provides pressure performance and kink-resistance exceeding that of simple tubing. Smooth EVA (ethylene vinyl acetate) cover provides increased flexibility.

[Read More](#)

SKU: BT-61

Price: \$63.76

Categories: [Beverage](#)

Product Description

Beverage Tubing Flexible Pvc Reinforced, 1/4 x .438 x 100 Foot



Uses 12.3 Oetiker Clamp, Food Grade No Kink Polyester Reinforced Pvc Tubing. Working Pressure At 70°F 250 Psi, Max Temp 150°F. NSF51 Listed

[Read More](#)

SKU: 512.055

Price: \$46.57

Categories: [Beverage](#)

Product Description

Bevlex Beverage Tubing .457 Od x 5



Uses 12.3 Oetiker Clamp, Food Grade No Kink Polyester Reinforced Pvc Tubing. Working Pressure At 70°F 250 Psi. Proprietary material provides low odor and taste, high strength, and exceptional flexibility. Food-grade beverage hose is NSF51 Listed. Material complies with FDA 21 CFR 177.1520, Polyester Reinforced PVC performance and kink resistance. Simple tubing. Smooth

cover provides increased flexibility.

[Read More](#)

SKU: BT-4

Price: \$185.87

Categories: [Beverage](#)

Product Description



Beverage Tubing Flexible Pvc Reinforced, 3/8 x .594x 100 Foot

Uses 15.7 Oetiker Clamp, Food Grade No Kink Polyester Reinforced Pvc Tubing. Working Pressure At 70°F 225 Psi, Max Temp 150°F. NSF51 Listed

[Read More](#)

SKU: 512-072

Price: \$72.57

Categories: [Beverage](#)

Product Description



Bevlex Bag-in-Box Clear PVC Tubing 3/8 Id x 5/8 Od x 100 Foot Roll

Uses 17.0 Oetiker Clamp, Food grade materials comply with FDA, CFR,,NSF-51 Listed. Working pressure at 70°F in 50 Psi.

[Read More](#)

SKU: BB610

Price: \$63.39

Categories: [Beverage](#)

Product Description



Bevlex Beverage Tubing 3/8 Id x .593 Od x 300 Foot Roll

Uses 15.7 Oetiker, Working pressure At 70°F Is 200 Psi. Proprietary core tube construction — provides low odor and taste, excellent stress crack resistance and exceptional flexibility makes fitting installation easier. Food-grade materials Bev-Flex ® Series 172 beverage hose is NSF-51/61 certified. Polyethylene material complies with FDA Regulation 21 CFR 177.1520, Polyester reinforcement provides pressure performance and kink-resistance exceeding that of simple tubing. Smooth EVA (ethylene vinyl acetate) cover provides increased flexibility.

[Read More](#)

SKU: BT-63

Price: \$177.23

Categories: [Beverage](#)

Product Description



Bevlex Beverage Tubing .740 Od Sol 19.8 Oetiker

When available. Working pressure At 70°F Is 200 Psi. Proprietary core tube construction — provides low odor and taste, excellent stress crack resistance and exceptional flexibility makes fitting installation easier. Food-grade materials Bev-Flex ® Series 172 beverage hose is NSF-51/61 certified. Polyethylene material complies with FDA Regulation 21 CFR 177.1520, Polyester reinforcement provides pressure performance and kink-resistance exceeding that of simple tubing. Smooth EVA (ethylene vinyl acetate) cover provides increased flexibility.

Polyester reinforcement provides pressure performance and kink-resistance exceeding that of simple tubing. Smooth EVA (ethylene vinyl acetate) cover provides increased flexibility.

[Read More](#)

SKU: BT-83-1

Price: \$2.50

Categories: [Beverage](#)

Product Description



Beverage Tubing Flexible Pvc Reinforced, 1/2 x .750 x 100 Foot

Uses 19.8 Oetiker Clamp, Food Grade No Kink Polyester Reinforced Pvc Tubing. Working Pressure At 68°F 200 Psi.

[Read More](#)

SKU: 512.080

Price: \$92.41

Categories: [Beverage](#)

Product Description



Bevlex Bag-in-Box Clear PVC Tubing 3/8 Id x 9/16 Od x 100 Foot Roll, Uses 15 7 Clamp

Food grade materials comply with FDA, CFR,,NSF-51 Listed. Working pressure at 70°F in 50 Psi.

[Read More](#)

SKU: BB609

Price: \$55.09

Categories: [Beverage](#)

Product Description

Beverage Tubing Flexible Pvc Reinforced, 5/16 x .531 x 100 Foot

Uses 14.5 Oetiker Clamp, Food Grade No Kink Polyester Reinforced Pvc Tubing. Working Pressure At 70°F 250 Psi, , Max Temp 150°F. NSF51 Listed

[Read More](#)

SKU: 512.059

Price: \$94.16

Categories: [Beverage](#)

Product Description



Bevlex Bag-in-Box Clear PVC Tubing 3/16 Id x 7/16 Od x 100 Foot Roll, Uses 12 3 Clamp

Food grade materials comply with FDA, CFR,,NSF-51 Listed. Working pressure at 70°F in 50 Psi.

[Read More](#)

SKU: BB307

Price: \$43.22

Categories: [Beverage](#)

Product Description
