

## 2 1/2 Inch Inline Filters Clip, Screw Mount

Fits Filter Series, K5000 And IAP

**Read More** 

**SKU:** PPC212W

**Price:** \$1.05

**Categories: Inline** 

#### **Product Description**



## 2 Inch Inline Filters Clip, Screw Mount

Fits Filter Series, K2000, SCL, SL, CL, IAC.

**Read More** 

**SKU:** PPC204W

**Price:** \$0.98

**Categories:** Inline



# 3M Filters Valve In Head With Shroud And Plug, 3/8 Fpt

This high flow valve-in-head assembly has a maximum operating temperature of 100 degrees F (37.8 degrees C), and a pressure range of 25 - 125 psi (172 - 862 kPa). The head can be used on a variety of water filtration systems including ice machines, steamer, combi or proofer ovens, coffee, espresso or hot tea, as well as cold beverage and iced tea filter systems. Fits Cartridges, HF05-MS, HF10-MS, HF15-MS, HF20-MS, HF25-MS, HF30-MS, HF-35-MS, Brew130-MS, PS114, PS124, P124BN, P195BN

Read More

**SKU:** 62130-03

**Price:** \$78.69

**Categories:** Cartridges

### **Product Description**



#### **Product Description**

### 3M Water Filters Cartridge, CFS8112-S, Sold Each Or 12 A Box

3x13 filter, lime scale, sediment taste and odor 1 micron, 1.5 GPM, 10,000 gallon capacity

Read More

**SKU:** CFS8112-S

**Price:** \$81.23

**Categories:** Cartridges



# 3M Water Filters Cartridge, HF20-MS, Sold Each Or 6 A Box

3M Water Filtration Products HF20-MS Replacement Cartridge effectively combines scale reduction with cyst, sediment and chlorine taste and odor reduction at flow rates up to 1.5 gpm. 3M Water Filtration Products HF20-MS A proprietary slow release scale inhibitor reduces the ability of calcium and magnesium to form on the heating coils and cause downtime and unscheduled service maintenance. Filter Cartridges are o-ring seal type, Certified by NSF to standard 42, FDA CFR-21 Compliant materials, Sanitary Quick Change (SQC) encapsulated cartridge design allows for fast and easy cartridge change-outs with a 1/4 turn, Height:15", Diameter: 4", Flow Rate: 1.5 gpm, Capacity: 9,000 gallons, Micron Rating: 0.5 micron (nominal), Media Type: Carbon Block, Max Water Temp: 100° F, Max Water Pressure: 125 psi, Change

Frequency: 6-12 months

Read More

**SKU:** HF20-MS

**Price:** \$79.98

**Categories:** Cartridges



## 3M Water Filters Cartridge, HF25-MS, Sold Each Or 6 A Box

3M Water Filtration Products HF25-MS Replacement Cartridge effectively combines, sediment and chlorine taste and odor at flow rates up to 1.5 gpm. 3M Water Filtration Products HF25-MS A proprietary slow release scale inhibitor reduces the ability of calcium and magnesium to form on the heating coils and cause downtime and unscheduled service maintenance. For higher turbidity water filtration system, Filter Cartridges are o-ring seal type, Certified by NSF to standard 42, FDA CFR-21 Compliant materials, Sanitary Quick Change (SQC) encapsulated cartridge design allows for fast and easy cartridge change-outs with a 1/4 turn, Height:15", Diameter: 4", Flow Rate: 1.5 gpm, Capacity: 10,000 gallons, Micron Rating: 1.0 micron (nominal), Media Type: Carbon Block, Max Water Temp: 100° F, Max Water Pressure: 125 psi,

Change Frequency: 6-12 months

Read More

**SKU:** HF25-MS

**Price:** \$74.92

**Categories:** Cartridges



# 3M Water Filters Cartridge, HF25-S, Sold Each Or 6 A Box

3M Water Filtration Products HF25-S Replacement Cartridge effectively combines, sediment and chlorine reduction for equipment protection and clearer, great tasting ice. 3M Water Filtration Products HF25-S Replacement Cartridge has a built-in scale inhibitor which reduces the ability of calcium and magnesium to precipitate on the evaporator plates as hard scale. For Low Flow Cubers to 750 lbs., High Flow Cubers to 200 lbs. or Flakers to 1,200 lbs. Filter Cartridges require no pre-activation and incorporate carbon block filtration medium and scale inhibitor. Application: Higher Turbidity Water, Ice Filtration System, Filter Cartridges are o-ring seal type, Certified by NSF to standard 42, FDA CFR-21 Compliant materials, Sanitary Quick Change (SQC) encapsulated cartridge design allows for fast and easy cartridge change-outs with a 1/4 turn, Height: 15", Diameter: 4", Flow Rate: 1.5 gpm, Capacity: 10,000 gallons, Micron Rating: 1.0 micron (nominal), Media Type: Carbon Block, Max Water Temp: 100° F, Max Water Pressure: 125 psi, Change

Frequency: 6-12 months

Read More

**SKU:** HF25-S

**Price:** \$76.88

**Categories:** Cartridges



### 3M Water Filters Cartridge, HF40-S, Sold Each Or 2 A Box, Uses Head 62130-03

3M™ High Flow Series Replacement Cartridge, Model HF40-S provides consistent high quality water by reducing particulate\*, chlorine taste and odor, cyst\*\*, and bacteria1. Built-in scale inhibition can help to prevent the potentially harmful effects of scale build-up on equipment. Integrated Membrane Pre-Activated Carbon Technology ("I.M.P.A.C.T.") filtration media combines a membrane with a premium activated carbon block to help provide excellent throughput and cartridge life.

#### **Read More**

SKU: HF40-S
Price: \$126.88
Categories: Cartridges

#### **Product Description**



### Big Blue Carbon Block Filter, 4.5 Inches x 20 Inches, Rated At 26,000 Gallon Life Span, 5 Micron

Sold By The Each Or A Case Of 6, Industrial NSF Coconut Carbon Block Water Filter Cartridge Read More

**SKU:** UDS-20BBCB

**Price:** \$30.56

**Categories:** Cartridges

#### **Product Description**



### Big Blue Polypropylene Sediment Filter, 4.5 Inches x 20 Inches, 5 Micron

Sold By The Each Or 6 To A Case, Whole House or Commercial NSF Polypropylene Sediment Water Filter Cartridge

**Read More** 

**SKU:** UDS-20BBSED

**Price:** \$16.34

**Categories:** Cartridges

#### **Product Description**



## Brass Nipple For Filters Lead Free, 3/8 x 3 Inches

For Joining Filter Cartridges Together, Fits Q, EH, ELF, ELFXL Series

Read More

**SKU:** 113A-C3

**Price:** \$3.91

**Categories:** Cartridges



# Brass Nipple Lead Free For Filters, 3/4 x 3 Inches

For Joining Filter Housings With 3/4" Fpt Read More

**SKU:** 113A-E3

**Price:** \$4.25

**Categories:** Cartridges