

Water Softener Resin, 50lb Bag



[Read More](#)

SKU: WST-M-RESINT

Price: \$103.56

Categories: [Softeners](#)

Product Description



Cartridge Water Filter Magnesium 3/4 Inches

This true Alkaline filter contains five different media that emit Far Infrared Rays. The first stage process starts with a magnetic module. Our water treatment water filter media is minded from our special blend Calcium, Magnesium, and Carbonate and Magnesium. Tourmaline emits Far Infrared Rays and ceramic media discards impurities (above 800/cc) and increases the water's pH, thus reducing the oxidation-reduction potential.

Super Ceramic" layer contains over 10 minerals and imparts a pleasant taste to the water while emitting even more Far Infrared Rays. Almandine Garnet is a naturally occurring gem mineral with uniform physical, chemical, hardness, friability and micro-structure characteristics, which provide the essential properties for the water filtration processes. The KDF Redox layer incorporates a special blend of high purity Copper and Zinc to reduce heavy metals, microorganisms, scale, and is listed bacteriostat. The water exits through a polishing sediment filter ensuring safe, clean and crystal clear drinking water.

[Read More](#)

SKU: APTERA-2510

Price: \$84.92

Categories: [Cartridges](#)

Product Description



3M Water Filters Cartridge, CFS8112-S, Sold Each Or 12 A Box

3x13 filter, lime scale, sediment taste and odor 1 micron, 1.5 GPM, 10,000 gallon capacity

[Read More](#)

SKU: CFS8112-S

Price: \$81.23

Categories: [Cartridges](#)

Product Description



3M Water Filters Cartridge, HF25-MS, Sold Each Or 6 A Box

3M Water Filtration Products HF25-MS Replacement Cartridge effectively combines, sediment and chlorine taste and odor at flow rates up to 1.5 gpm. 3M Water Filtration Products HF25-MS A proprietary slow release scale inhibitor reduces the ability of calcium and magnesium to form on the heating coils and cause downtime and unscheduled service maintenance. For higher turbidity water filtration system, Filter Cartridges are o-ring seal type, Certified by NSF to standard 42, FDA CFR-21 Compliant materials, Sanitary Quick Change (SQC) encapsulated cartridge design allows for fast and easy cartridge change-outs with a 1/4 turn, Height:15", Diameter: 4", Flow Rate: 1.5 gpm, Capacity: 10,000 gallons, Micron Rating: 1.0 micron (nominal), Media Type: Carbon Block, Max Water Temp: 100° F, Max Water Pressure: 125 psi, Change Frequency: 6-12 months

[Read More](#)

SKU: HF25-MS

Price: \$74.92

Categories: [Cartridges](#)

Product Description



Cartridge Water Filters Carbon And 1lb Phosphate 10 Micron, 3 x 15 Inches, Head, Bracket And Screws

For Lime, Scale, Taste, Odor, And Sediment Protection, For Moderate To Extreme Hard Water, High Volume Machines. Comes With Bracket And Screws, 3/8 Fpt Head. 6 Month Life Or 30,000 Gallons

[Read More](#)

SKU: ELF15ALS

Price: \$78.20

Categories: [Cartridges](#)

Product Description



Empty Tank And Base For WS15000

Non Stock, Must Be Drop Shipped From The Factory

[Read More](#)

SKU: WS15000TB

Price: \$63.42

Categories: [Softeners](#)

Product Description



3M Filters Valve In Head With Shroud And Plug, 3/8 Fpt

This high flow valve-in-head assembly has a maximum operating temperature of 100 degrees F (37.8 degrees C), and a pressure range of 25 - 125 psi (172 - 862 kPa). The head can be used on a variety of water filtration systems including ice machines, steamer, combi or proofer ovens, coffee, espresso or hot tea, as well as cold beverage and iced tea filter systems. Fits Cartridges, HF05-MS, HF10-MS, HF15-MS, HF20-MS, HF25-MS, HF30-MS, HF-35-MS, Brew130-MS, PS114, PS124, P124BN, P195BN

[Read More](#)

SKU: 62130-03

Price: \$78.69

Categories: [Cartridges](#)

Product Description



Head, Bracket And Cartridge, Water Filters Carbon And Phosphate 10 Micron, 3 x 10 Inches

For Lime, Scale, Taste, Odor, And Sediment Protection, For Low To Moderate Hard Water, High Volume Machines. Comes With Bracket And Screws, 3/8 Fpt Head. Fits EH Head And QBR Bracket. 6 Month Life Or 13,000 Gallons

[Read More](#)

SKU: ELF10ALS

Price: \$66.49

Categories: [Cartridges](#)

Product Description



**Cartridge Water Filters Carbon
And 1lb Phosphate 10 Micron, 3
x 15 Inches**

For Lime, Scale, Taste, Odor, And Sediment Protection,
For Hard Water, High Volume Machines. Fits EH Head
And QBR Bracket. 6 Month Life Or 30,000 Gallons


[Read More](#)

SKU: ELFXLT40-P1

Price: \$53.85

Categories: [Cartridges](#)

Product Description



**ASSE 1022 E
3/8 Flare x 1/2**

ASSE 1022 vented check valve
protects the connected equipment
from the corrosive gas that is
mixed with water in the boiler
from the back flow of water
the discharge primary
cycle. If this check valve
the CO2 gas and water
the vent fitting. The
cannot pass to the
from the connected
construction is easy
brass body and stainless
Under no circumstances
mixture exposed to

connected plumbing.

[Read More](#)

SKU: 19-0897

Price: \$53.49

Categories: [Backflow](#)

Product Description



Head, Bracket And Cartridge, Water Filters Softening 10 Micron, 3 x 15 Inches

Water Softening And Sediment Protection Only, Uxc-8sf Resin, 2000 Grains Of Softness. Comes With Bracket And Screws, 3/8 Fpt Head. For Use With Espresso Machines With High Volume. Life, Depends On Hardness And Volume Of Water.

[Read More](#)

SKU: ELF15C-249

Price: \$53.48

Categories: [Cartridges](#)

Product Description



3M Water Filters Cartridge, HF25-S, Sold Each Or 6 A Box

3M Water Filtration Products HF25-S Replacement Cartridge effectively combines, sediment and chlorine reduction for equipment protection and clearer, great tasting ice. 3M Water Filtration Products HF25-S Replacement Cartridge has a built-in scale inhibitor which reduces the ability of calcium and magnesium to precipitate on the evaporator plates as hard scale. For Low Flow Cubers to 750 lbs., High Flow Cubers to 200 lbs. or Flakers to 1,200 lbs. Filter Cartridges require no pre-activation and incorporate carbon block filtration medium and scale inhibitor. Application: Higher Turbidity Water, Ice Filtration System, Filter Cartridges are o-ring seal type, Certified by NSF to standard 42, FDA CFR-21 Compliant materials, Sanitary Quick Change (SQC) encapsulated cartridge design allows for fast and easy cartridge change-outs with a 1/4 turn, Height:15", Diameter: 4", Flow Rate: 1.5 gpm, Capacity: 10,000 gallons, Micron Rating: 1.0 micron (nominal), Media Type: Carbon Block, Max Water Temp: 100° F, Max Water Pressure: 125 psi, Change Frequency: 6-12 months

[Read More](#)

SKU: HF25-S

Price: \$76.88

Categories: [Cartridges](#)

Product Description
