



16-14 Gauge .250 Female Push On, Insulated Terminal, Bag of 100

This series is the most economical insulated terminal available. The PVC insulation sleeve is securely fastened to the butted seam barrel. The insulation has a flared entry for easier wire insertion. Industry standard color-coding indicates wire range. Rated 600 volts maximum, building wire; 1000 volts maximum, signs and fixtures. Temperature rating: 105° C (221° F).

[Read More](#)

SKU: 492005

Price: \$15.95

Categories: [Push On](#)

Product Description



16-14 Gauge .250 Female Push On, Fully Insulated Terminal, Bag of 100

The Nylon insulation is the most economical insulated terminal available. Transparent nylon insulation is securely fastened to the butted seam barrel. The insulation has a flared entry for easier wire insertion. Industry standard color-coding indicates wire range. Rated 600 volts maximum, building wire; 1000 volts maximum, signs and fixtures. Temperature rating: 105° C (221° F).

[Read More](#)

SKU: 83400

Price: \$15.48

Categories: [Push On](#)

Product Description



16-14 Gauge 1/4 Stud Ring, High Temp Terminal, Bag of 100

High temperature butt connectors are terminals that mate, connect, or terminate a single wire. High temperature butt connectors are ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. This series is ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. Constructed of steel plated nickel. Rated for continuous operating temperature of 482° C (900° F), intermittent rating of 649° C (1200° F).

[Read More](#)

SKU: 352145

Price: \$24.97

Categories: [Ring](#)

Product Description



16-14 Gauge 1/4 Stud Ring, Vinyl Insulated Terminal, Bag of 100

This series is the most economical insulated terminal available. The PVC insulation sleeve is securely fastened to the butted seam barrel. The insulation has a flared entry for easier wire insertion. Rated 600 volts maximum, building wire; 1000 volts maximum, signs and fixtures. Industry standard color-coding indicates wire range. Temperature rating: 105° C (22

[Read More](#)

SKU: 452145

Price: \$14.92

Categories: [Ring](#)

Product Description



16-14 Gauge 3/8 Stud Ring, High Temp Terminal, Bag of 100

High temperature butt connectors are terminals that mate, connect, or terminate a single wire. High temperature butt connectors are ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. This series is ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. Constructed of steel plated nickel. Rated for continuous operating temperature of 482° C (900° F), intermittent rating of 649° C (1200° F).

[Read More](#)

SKU: 352385

Price: \$24.21

Categories: [Ring](#)

Product Description



16-14 Gauge 3/8 Stud Ring,
Vinyl Insulated Terminal, Bag of
100

This series is the most economical insulated terminal available. The PVC insulation sleeve is securely fastened to the butted seam barrel. The insulation has a flared entry for easier wire insertion. Rated 600 volts maximum, building wire; 1000 volts maximum, signs and fixtures. Industry standard color-coding indicates wire range. Temperature rating: 105° C (22

[Read More](#)

SKU: 452385DL

Price: \$19.98

Categories: [Ring](#)

Product Description



16-14 Gauge
High Temp

High temperature butt connector. Used to mate, connect, or terminate high temperature butt connectors. High temperature applications where standard terminals are not ideal for use in high temperature environments, such as motors, ovens or other high temperature applications where standard terminals can melt. Constructed for continuous operating temperature and intermittent rating.

[Read More](#)

SKU: 352565
Price: \$24.01
Categories: [Ring](#)

Product Description



**16-14 Gauge 5/16 Stud Ring,
Vinyl Insulated Terminal, Bag of
100**

This series is the most economical insulated terminal available. The PVC insulation sleeve is securely fastened to the butted seam barrel. The insulation has a flared entry for easier wire insertion. Rated 600 volts maximum, building wire; 1000 volts maximum, signs and fixtures. Industry standard color-coding indicates wire range. Temperature rating: 105° C (22

[Read More](#)

SKU: 452565
Price: \$14.92
Categories: [Ring](#)

Product Description



16-14 Gauge 90 Degree .250 Female Flag Push On Fully Insulated Terminal, Bag of 100

Nylon insulation material is molded onto brazed seam barrel and is resistant to deformation. Funnel entry is formed into inside of insulation to allow for easier wire insulation. Brazed seam will not separated under pressure or operating stress. Clear nylon allows for easy inspection of wire connection. Industry standard color-coding indicates wire range. Rated to 600 volts maximum, building wire; 1000 volts maximum, 105° C.

[Read More](#)

SKU: 894205

Price: \$17.98

Categories: [Flag](#)

Product Description



16-14 Gauge Terminal, B

Vinyl-insulated butt terminals that are used to join a single wire. The vinyl insulation and the butt type of terminal barrel are great for marine applications that utilize wire to terminate. This series is the most economical available. The PVC insulation is fastened to the butt terminal with a flared entry for easy wire insertion. Industry standard color-coding indicates wire range. Rated to 600 volts maximum, building wire; 1000 volts maximum, 105° C.

signs and fixtures. Temperature rating: 105° C (221° F).

[Read More](#)

SKU: 422005

Price: \$15.76

Categories: [Butt](#)

Product Description



16-14 Gauge Closed End Connector Terminal, Bag of 100

Closed End connectors are ideal for making a simple connection of two or more wires to make a pigtail connection. These closed end connectors feature translucent nylon insulation and a tin-plated copper sleeve that is rated to be used in up to 300V and is RoHS compliant. Translucent nylon insulation. Tin-plated copper sleeve. Meets UL 94V-2 Flammability Classification. Rated for continuous operating temperature of 105°C (221°F).

[Read More](#)

SKU: 901215

Price: \$9.92

Categories: [Closed End](#)

Product Description

16-14 Gauge High Temp Butt Connector, Bag Of 100



High temperature butt connectors are terminals that mate, connect, or terminate a single wire. High temperature butt connectors are ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. This series is ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. Constructed of steel plated nickel. Rated for continuous operating temperature of 482° C (900° F), intermittent rating of 649° C (1200° F).

[Read More](#)

SKU: 322005

Price: \$36.42

Categories: [Butt](#)

Product Description
