



16-14 Gauge .250 Female Push On Fully Insulated Terminal, Bag of 100

The Nylon insulation sleeve is molded onto the barrel. Transparent nylon allows for easy inspection of connection and is resistant to deformation. The insulation has a flared entry for easier wire insertion. Industry standard color-coding indicates wire range. Rated 600 volts maximum, building wire; 1000 volts maximum, signs and fixtures. Temperature rating: 105° C (221° F).

[Read More](#)

SKU: 894005
Price: \$15.67
Categories: [Push On](#)

Product Description



16-14 Gauge Push On, Insulated Terminal, Bag of 100

This series is the most popular available. The PVC insulation is fastened to the barrel with a flared entry for easier wire insertion. Industry standard color-coding indicates wire range. Rated 600 volts maximum, building wire; 1000 volts maximum, signs and fixtures. Temperature rating: 105° C (221° F).

[Read More](#)

SKU: 492005

Price: \$15.95
Categories: [Push On](#)

Product Description



16-14 Gauge .250 Male Push On Fully Insulated Terminal, Bag of 100

The Nylon insulation sleeve is molded onto the barrel. Transparent nylon allows for easy inspection of connection and is resistant to deformation. The insulation has a flared entry for easier wire insertion. Industry standard color-coding indicates wire range. Rated 600 volts maximum, building wire; 1000 volts maximum, signs and fixtures. Temperature rating: 105° C (221° F).

[Read More](#)
SKU: 834005
Price: \$15.48
Categories: [Push On](#)

Product Description



16-14 Gauge 1/4 Stud Ring, High Temp Terminal, Bag of 100

High temperature butt connectors are terminals that mate, connect, or terminate a single wire. High temperature butt connectors are ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. This series is ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. Constructed of steel plated nickel. Rated for continuous operating temperature of 482° C (900° F), intermittent rating of 649° C (1200° F).

[Read More](#)

SKU: 352145

Price: \$24.97

Categories: [Ring](#)

Product Description



16-14 Gauge 1/4 Stud Ring, Vinyl Insulated Terminal, Bag of 100

This series is the most economical insulated terminal available. The PVC insulation sleeve is securely fastened to the butted seam barrel. The insulation has a flared entry for easier wire insertion. Rated 600 volts maximum, building wire; 1000 volts maximum, signs and fixtures. Industry standard color-coding indicates wire range. Temperature rating: 105° C (22

[Read More](#)

SKU: 452145

Price: \$14.92

Categories: [Ring](#)

Product Description



16-14 Gauge 3/8 Stud Ring, High Temp Terminal, Bag of 100

High temperature butt connectors are terminals that mate, connect, or terminate a single wire. High temperature butt connectors are ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. This series is ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. Constructed of steel plated nickel. Rated for continuous operating temperature of 482° C (900° F), intermittent rating of 649° C (1200° F).

[Read More](#)

SKU: 352385

Price: \$24.21

Categories: [Ring](#)

Product Description



16-14 Gauge 3/8 Stud Ring, High Temp Terminal, Vinyl Insulated, Bag of 100

This series is the most popular series available. The PVC is fastened to the butt connector with a flared entry for easy installation. Maximum, building and fixtures. Industrial wire range. Temper

[Read More](#)

SKU: 452385DL**Price:** \$19.98**Categories:** [Ring](#)

Product Description



16-14 Gauge 5/16 Stud Ring, High Temp Terminal, Bag of 100

High temperature butt connectors are terminals that mate, connect, or terminate a single wire. High temperature butt connectors are ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. This series is ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. Constructed of steel plated nickel. Rated for continuous operating temperature of 482° C (900° F), intermittent rating of 649° C (1200° F).

[Read More](#)**SKU:** 352565**Price:** \$24.01**Categories:** [Ring](#)

Product Description



16-14 Gauge 5/16 Stud Ring, Vinyl Insulated Terminal, Bag of 100

This series is the most economical insulated terminal available. The PVC insulation sleeve is securely fastened to the butted seam barrel. The insulation has a flared entry for easier wire insertion. Rated 600 volts maximum, building wire; 1000 volts maximum, signs and fixtures. Industry standard color-coding indicates wire range. Temperature rating: 105° C (22

[Read More](#)

SKU: 452565

Price: \$14.92

Categories: [Ring](#)

Product Description



16-14 Gauge Vinyl Insulated Terminal, Bag of 100

Vinyl-insulated butted terminals that are used for a single wire. The vinyl insulation and the barrel type of terminal barrel are great for marine applications that utilize wire to terminals. This series is the most economical insulated terminal available. The PVC insulation is securely fastened to the butted seam barrel. The insulation has a flared entry for easier wire insertion. Industry standard color-coding indicates wire range. Rated 600 volts maximum, building wire; 1000 volts maximum, signs and fixtures. Temperature rating: 105° C (22

F).
[Read More](#)
SKU: 422005
Price: \$15.76
Categories: [Butt](#)

Product Description



**16-14 Gauge Closed End
Connector Terminal, Bag of 100**

Closed End connectors are ideal for making a simple connection of two or more wires to make a pigtail connection. These closed end connectors feature translucent nylon insulation and a tin-plated copper sleeve that is rated to be used in up to 300V and is RoHS compliant. Translucent nylon insulation. Tin-plated copper sleeve. Meets UL 94V-2 Flammability Classification. Rated for continuous operating temperature of 105°C (221°F).

[Read More](#)
SKU: 901215
Price: \$9.92
Categories: [Closed End](#)

Product Description

16-14 Gauge High Temp Butt Connector, Bag Of 100



High temperature butt connectors are terminals that mate, connect, or terminate a single wire. High temperature butt connectors are ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. This series is ideal for use in high temperature applications like motors, ovens or other applications where terminals can melt. Constructed of steel plated nickel. Rated for continuous operating temperature of 482° C (900° F), intermittent rating of 649° C (1200° F).

[Read More](#)

SKU: 322005

Price: \$36.42

Categories: [Butt](#)

Product Description
